



# **OX**<sup>®</sup>

## **THE OX BOOK**

**TOUGH. DYNAMIC.  
DIFFERENT.**

**2021**



## Our story

OX Tools is a world leading manufacturer of hand tools, diamond tools, workwear and safety products.

Founded in Australia in 1974 OX is recognised as tough, dynamic and different across the globe.

As a manufacturer of professional tools, we sell direct to the merchants, providing them with excellent service, innovative merchandising solutions and an award-winning brand.

Our global online presence and unique Tuff Club membership programme provides a community of tradespeople benefitting from shared experience and knowledge embedding our 'live the trade' attitude into the fabric of building sites around the globe.

Feel the Power of the OX.



### FOLLOW US...

-  OXtoolsUK
-  OXtoolsUK
-  oxttoolsuk
-  OX Tools Global
-  OXTOOLS

Issue date: November 2021

Subject to availability and OX Tools UK Ltd terms & conditions of sale. All prices exclude VAT. E & OE.

## Contents



Measuring Tools  
pages 06-08



Layout Tools  
pages 09-14



Woodworking Tools  
pages 15-19



Bricklaying Tools  
pages 20-27



Plastering & Dry Lining Tools  
pages 28-42



Concreting Tools  
pages 43-49



Tiling Tools  
pages 50-55



Striking Tools  
pages 56-61



Cutting Tools  
pages 62-69



Demolition Tools  
pages 70-75



Plumbing & Electrical Tools  
pages 76-86



Site Tools & Accessories  
pages 87-98



Workwear  
pages 99-111



Hygiene Equipment  
page 112



Safety / PPE  
pages 113-133



TCT Blades  
pages 134-141



Diamond Blades  
pages 142-154



Dry Core Drills  
pages 162-167





## World leading technology...



Look at the detail of the products – the strength and thickness of the steel, the perfect weight & balance, the positioning of the handles – guaranteed better than the rest!



Packed with innovation the phenomenal OX tools raise the benchmark for tool performance to unprecedented new levels.



The materials and construction are of the highest quality to stand up to an unbelievable amount of force.

Only heavy use can really demonstrate the power and resistance of these tools.



visit [oxtools.com](http://oxtools.com) to find out more

### OX ENERGY DRINK – 250ML

The OX energy drink gives you all the energy you need for a long day on-site. Put the power in your day!

Product Code	Size	Order Qty	Box Qty	List Price
OX-ED1	250ML	24	24	





## PRO DUAL AUTO LOCK TAPE MEASURE – 3M, 5M & 8M



### FEATURES

- Double sided tape measurements
- Patented dual locking mechanism
- Robust rubber casing to withstand knocks and drops
- Super compact ergonomic shell
- Handy belt clip for quick clip to tool belt
- Extruded nylon blade for longer life and greater stand out

SCAN THE QR  
TO LEARN MORE



Product Code	Size	Order Qty	Box Qty	List Price
OX-P505203	3M / 10FT	1	12	
OX-P505205	5M / 16FT	1	6	
OX-P505208	8M / 26FT	1	6	
OX-P505455	Twinpack 5M / 16FT	1	4	
OX-P505488	Twinpack 8M / 26FT	1	4	



TWINPACK 5M/16FT

TWINPACK 8M/26FT



SCAN THE QR  
TO LEARN MORE



## PRO HEAVY DUTY TAPE MEASURE – 5M & 8M

### FEATURES

- Extra tough nylon coated 32mm wide blade – 2.8M stand out
- Class II & CE approved
- Heavy duty construction
- Easy slide thumb lock

Product Code	Size	Order Qty	Box Qty	List Price
OX-P028905	5M METRIC ONLY	1	6	
OX-P028705	5M / 16FT	1	6	
OX-P028708	8M / 26FT	1	6	



## PRO TAPE MEASURE – 5M & 8M

### FEATURES

- Chrome case with over mould for heavy duty use
- Cushion grip for comfort and slip resistant hold
- Extra tough nylon coated steel 27mm wide blade
- 2.8M Stand out
- Big end hook & easy access thumb lock
- Class II & CE Approved

Product Code	Size	Order Qty	Box Qty	List Price
OX-P020905	5M / 16FT	1	8	
OX-P020908	8M / 26FT	1	8	



## TRADE TAPE MEASURE – 3M, 5M & 8M

### FEATURES

- Duragrip moulded rubber case
- Nylon coated steel 25mm wide blade
- Easy access sliding thumb lock
- Shock absorbing blade return bumper
- Quick release bottom strip

Product Code	Size	Order Qty	Box Qty	List Price
OX-T020605	5M / 16FT	12	12	
OX-T020608	8M / 26FT	12	12	
OX-T029103	3M METRIC ONLY	12	12	
OX-T029105	5M METRIC ONLY	12	12	
OX-T029108	8M METRIC ONLY	12	12	



## TRADE TAPE MEASURE – 10M

### FEATURES

- Duragrip moulded rubber case
- Nylon coated steel blade
- Easy access sliding thumb lock
- Shock absorbing blade return bumper
- Quick release bottom strip
- 25mm wide blade

Product Code	Size	Order Qty	Box Qty	List Price
OX-T500810	10M	6	6	



## TRADE CLOSED REEL TAPE MEASURE – 30M / 100FT

### FEATURES

- Long wearing fibreglass tape
- Quick winding mechanism
- Hi-impact ABS plastic case
- 13mm wide blade

Product Code	Size	Order Qty	Box Qty	List Price
OX-T023603	30M / 100FT	1	5	





## TRADE OPEN REEL TAPE MEASURE VARIOUS SIZES



### FEATURES

- Durable fibreglass tape
- Rubber grip handle
- Hi-impact case
- 13mm wide blade

Product Code	Size	Order Qty	Box Qty	List Price
OX-T023503	30M / 100FT	1	5	
OX-T023505	50M / 165FT	1	5	
OX-T023510	100M / 330FT	1	5	

## PRO CLOSED REEL TAPE MEASURE – 30M / 100FT



### FEATURES

- Professional 3:1 geared closed reel 30m tape
- Shock & impact proof rubber casing
- Double nylon coated fibreglass blade

Product Code	Size	Order Qty	Box Qty	List Price
OX-P028330	30M / 100FT	1	6	

## PRO OPEN REEL TAPE MEASURE VARIOUS SIZES



### FEATURES

- Professional 3:1 geared open reel tape available in 30 & 50m length
- Ergonomic soft grip handle and heavy duty casing
- Double nylon coated fibreglass blade

Product Code	Size	Order Qty	Box Qty	List Price
OX-P028230	30M / 100FT	1	1	
OX-P028250	50M / 165FT	1	1	



## PRO LASER LEVEL

### FEATURES

- Self levelling green cross line laser with an extremely tough shock proof rubber casing
- Working Range: 30meter /60 meter with detector
- Level Accuracy:±0.2mm/m
- Self-Levelling Range: 3°
- Power: 3 x 1.5 V LR6 (AA)
- Laser Class: 2

Product Code	Size	Order Qty	Box Qty	List Price
OX-P502901	-	1	4	



SCAN THE QR  
TO LEARN MORE



## PRO LASER LEVEL DETECTOR


### FEATURES

- Easy to use laser level detector compatible with OX self levelling line lasers
- Suitable for detecting green laser beams in bright light or difficult to discern situations over long distances
- Laser detection range up to 60 meters; Vertical of 1-35mm
- Accurate up to +/- 2.5mm
- Includes clamp for easy placement around site
- Bright, easy to see indicator lights
- Visible and audible indicator signs
- Automatic shutdown
- Low voltage alarm

Product Code	Size	Order Qty	Box Qty	List Price
OX-P502902	-	1	50	





**PRO LEVEL VARIOUS SIZES****FEATURES**

- The strongest level EVER or your money back!
- Lifetime vial warranty
- Unique dual easy view vials calibrated to 0.005" /" (0.5mm/m)
- Precision painted vial level indicators
- Strong, lightweight aluminium profile
- UV resistant vials
- Fine milled surface along top and bottom for 100% precision
- Silicone air cushioned handles for greater comfort
- Magnified vial for better readability
- Shock-proof polypropylene & TPR end caps
- Continuous bridge over central vial to allow accurate draw or score lines
- Rubber studs on faces of the level ensure grip when pressed against surfaces
- Available in 600, 900, 1200, 1800, 2000mm

SCAN THE QR  
TO LEARN MORE

Magnetic version (of above)

Product Code	Size	Order Qty	Box Qty	List Price
OX-P024406	600mm	1	4	
OX-P024409	900mm	1	4	
OX-P024412	1200mm	1	4	
OX-P024418	1800mm	1	4	
OX-P024420	2000mm	1	4	

**PRO LEVEL SET****FEATURES**

- As above
- Set includes 600, 1200 & 1800mm levels and 3 pocket zipped case

Product Code	Size	Order Qty	Box Qty	List Price
OX-P028603	see above	1	4	

**PRO LEVEL BAG****FEATURES**

- Tough construction for ultimate durability
- Strong grip handle and shoulder strap
- Holds 600, 1200 & 1800mm levels
- 3 Zipped cases



Product Code	Size	Order Qty	Box Qty	List Price
OX-P027501	1850mm	1	4	

**TRADE LEVEL SET - 4 PACK****FEATURES**

- Includes 600, 1200 & 1800mm trade levels & trade 230mm torpedo level (OX-T026323)
- Lifetime vial warranty
- 3 solid acrylic vials with accuracy of .5mm/m or .0005in/in
- UV resistant vials
- Milled surface on base up to 1200mm length
- Shock absorbing rubber end caps
- Strong, lightweight aluminium profile
- Tough rubber end caps



Product Code	Size	Order Qty	Box Qty	List Price
OX-T500404	see above	1	4	

**TRADE LEVEL VARIOUS SIZES****FEATURES**

- Lifetime vial warranty
- 3 solid acrylic vials with accuracy of .5mm/m or .0005in/in
- UV resistant vials
- Milled surface on base up to 1200mm length
- Shock absorbing rubber end caps
- Strong, lightweight aluminium profile
- Tough rubber end caps
- Available in 600, 900, 1200 and 1800mm



Product Code	Size	Order Qty	Box Qty	List Price
OX-T500206	600mm	1	4	
OX-T500209	900mm	1	4	
OX-T500212	1200mm	1	4	
OX-T500218	1800mm	1	4	



## TRADE STUBBY LEVEL - 100MM



## FEATURES

- Shockproof solid acrylic vial
- Lightweight aluminium box profile fits easily into your tool belt or pocket
- Accuracy: <0.5mm/m (0.0005"/")

Product Code	Size	Order Qty	Box Qty	List Price
OX-T502801	100mm	1	10	

## PRO HEAVY DUTY TORPEDO LEVEL

SCAN THE QR  
TO LEARN MORE

## FEATURES

- Tilted horizontal vial for direct view of bubble
- 3 Unbreakable acrylic shock-proof vials
- Accuracy <0.0005"/" (0.5mm/m)
- 25mm Thick profile – extremely strong construction
- Rare earth magnets for strong grip to metal surface
- Fine milled surface with V-groove

Product Code	Size	Order Qty	Box Qty	List Price
OX-P027210	250mm	1	4	

## PRO TORPEDO LEVEL

SCAN THE QR  
TO LEARN MORE

## FEATURES

- Die-cast aluminium body
- 3 Unbreakable acrylic shock-proof vials
- Accuracy <0.0005"/" (0.5mm/m)
- Rare earth magnets for strong grip to metal surface
- Fine milled surface with V-groove

Product Code	Size	Order Qty	Box Qty	List Price
OX-P027625	230mm	1	10	

## TRADE TORPEDO LEVEL – 230MM

## FEATURES

- 3 easy to read vials (horizontal, vertical, 45 degrees)
- Magnetic V-groove for pipe work and scaffolding
- Tough rubber end caps

Product Code	Size	Order Qty	Box Qty	List Price
OX-T026323	230mm	20	20	

20  
BOX

## PRO CARPENTERS SQUARE - 600 X 400MM

## FEATURES

- Heavy duty carbon steel
- Laser etched metric markings
- Epoxy coated for longer life
- Long Edge Width: 51mm / Short Edge Width: 38.5mm



Product Code	Size	Order Qty	Box Qty	List Price
OX-P021064	600 X 400MM	1	24	

## PRO MAGNETIC COMBINATION SQUARE

## FEATURES

- Unique magnetic lock adjustment for easy movement of the steel rule



Product Code	Size	Order Qty	Box Qty	List Price
OX-P504530	305mm / 12"	1	4	

## PRO COMBINATION SQUARE

## FEATURES

- High quality cast and machined sliding stock
- Stainless steel rule engraved with both imperial & metric graduations
- Can mark 90° and 45° with adjustable depth for repetition marking & scribing



Product Code	Size	Order Qty	Box Qty	List Price
OX-P025630	305mm / 12"	1	30	

## PRO CARPENTERS SQUARE &amp; ANGLE INDICATOR

## FEATURES

- Unique support ledge
- High-impact polymer handle
- Permanently etched stainless steel blade
- 22.5°, 45°, 67.5° and 90° angle indicators



Product Code	Size	Order Qty	Box Qty	List Price
OX-P503030	305MM / 12"	1	4	

**PRO HEAVY DUTY CHALK LINE REEL****FEATURES**

- 5:1 Gear ratio for fast rewind
- Twisted polyester string for strength and durability
- Chalk powder not included

Product Code	Size	Order Qty	Box Qty	List Price
OX-P027730	30M / 100FT	1	4	

**TRADE HEAVY DUTY CHALK LINE REEL****FEATURES**

- Dual use – can be used as plumb bob
- High impact cast metal body
- Stainless-steel hook
- Chalk powder not included

Product Code	Size	Order Qty	Box Qty	List Price
OX-T020830	30M / 100FT	1	12	

**PRO CHALK POWDER – 8OZ / 226G****FEATURES**

- Powder formulated for good adhesion and high visibility
- For both interior & exterior use
- For use with chalk lines
- Easy pour, refillable bottle



Product Code	Size	Order Qty	Box Qty	List Price
OX-P025701	Red/8oz (226g)	6	6	
OX-P025702	Blue/8oz (226g)	6	6	
OX-P025703	Yellow/8oz (226g)	6	6	
OX-P025704	White/8oz (226g)	6	6	

**PRO HEAVY DUTY BAR CLAMP****FEATURES**

- Very heavy duty construction for durability
- High clamping force – 150kg
- Quick change conversion from clamp to spreader
- TPR Jaw pads protect surfaces from damage

Product Code	Size	Order Qty	Box Qty	List Price
OX-P201206	6" / 150mm	1	10	
OX-P201212	12" / 300mm	1	10	
OX-P201218	18" / 450mm	1	10	
OX-P201224	24" / 600mm	1	10	
OX-P201236	36" / 900mm	1	10	

SCAN THE QR  
TO LEARN MORE**PRO SOLID STEEL DOOR CLAMP****FEATURES**

- Solid steel, fully welded
- Holds door during; attaching hinges, routing, hanging, rebating
- Comfortable soft grip handles
- Felt covered jaws for protection against door damage
- Fits all doors – from 18mm 'built in' doors to 65mm 'fire rated' doors

Product Code	Size/Description	Order Qty	Box Qty	List Price
OX-P200101	49cm x 30cm	1	3	

**PRO WOOD CHISEL SET - 3 PC****FEATURES**

- 3pc wood chisel set
- Includes sizes - 13mm, 19mm & 25mm
- Forged steel core - superior strength & durability
- High quality hardened steel blade giving sustained performance and edge retention
- Packaged in a high quality velcro case

Product Code	Size	Order Qty	Box Qty	List Price
OX-P371203	(see above)	1	4	







## PRO WOOD CHISEL SET - 5 PC

## FEATURES

- 5Pc wood chisel set
- Sizes - 6, 10, 16, 19 & 25mm
- Packaged in a high quality velcro case
- Forged steel core - superior strength & durability
- Split-proof acetate handle designed tough to last
- Extra large strike cap to withstand hammer strikes & can be hit from multiple angles
- High quality hardened steel blade giving sustained performance and edge retention

Product Code	Size	Order Qty	Box Qty	List Price
OX-P371005	(see above)	1	4	

SCAN THE QR  
TO LEARN MORE



## PRO WOOD CHISEL

## FEATURES

- Forged steel core - superior strength & durability
- Split-proof acetate handle designed tough to last
- Extra large strike cap to withstand hammer strikes & can be hit from multiple angles
- High quality hardened steel blade giving sustained performance and edge retention

Product Code	Size	Order Qty	Box Qty	List Price
OX-P371106	6mm / 1/4"	1	6	
OX-P371110	10mm / 3/8"	1	6	
OX-P371113	13mm / 1/2"	1	6	
OX-P371116	16mm / 5/8"	1	6	
OX-P371119	19mm / 3/4"	1	6	
OX-P371122	22mm / 7/8"	1	6	
OX-P371125	25mm / 1"	1	6	
OX-P371132	32mm / 1-1/4"	1	6	
OX-P371138	38mm / 1-1/2"	1	6	



## TRADE CARPENTER'S PENCILS - 10PK

## FEATURES

- 10 Carpenters pencils with FREE sharpener included
- Comfort grip and easy to hold
- Medium lead (Red) or Hard lead (Green) available

Product Code	Size/Description	Order Qty	Box Qty	List Price
OX-T022910	10 Pack Medium (Red)	12	12	
OX-T023010	10 Pack Hard (Green)	12	12	



## PRO TUFF CARBON PENCIL

## FEATURES

- Writes on almost any surface
- Ideal for deep hole marking and general-purpose construction marking
- Stainless steel lead feed tube - diameter of lead 2.8 mm
- Made from high quality PP/ABS/Stainless Steel materials
- Handy belt clip for attaching to belt or trousers
- Integrated lead sharpener built into the cap
- Spring loaded lead feed button
- Square body to prevent rolling off surfaces

Product Code	Description	Order Qty	Box Qty	List Price
OX-P503201	Marking Pencil	1	10	
OX-P503202	Basic Colour & Graphite	1	10	
OX-P503203	Graphite Lead	1	10	
OX-P503204	Pencil Lead -Tiles	1	10	
OX-P503210	Pencil Value Pack	1	10	



Pencil Value Pack



Basic Colour &amp; Graphite



Graphite Lead



Pencil Lead -Tiles



Integrated lead sharpener built into the cap



**PRO TOUGH SCREWDRIVER SET WITH HARD CASE - 7PC****FEATURES**

- Pro series 7pc set
- Chrome vanadium steel bar
- Soft grip handle moulded directly to shaft for ultimate strength
- Colour coded handles
- Robust, heavy duty case
- Set includes: Flared 6.5 x 150mm, Parallel 3.5 x 75mm & 5.5 x 125mm, Phillips PH1 x 100mm, PH2 x 125mm, Pozi PZ1 x 100mm, PZ2 x 125mm

Product Code	Size	Order Qty	Box Qty	List Price
OX-P360207	7 piece set	1	5	


**PRO SCREWDRIVER SET - 7PC****FEATURES**

- High quality screwdrivers with chrome vanadium steel bar
- Soft grip handle moulded directly to shaft for ultimate strength
- Colour coded handles & magnetic tips
- Set includes: Flared 5.5 x 100mm, 6.5 x 100mm Parallel 4 x 100mm, Phillips PH1 x 75mm, PH2 x 100mm, Pozi PZ1 x 100mm, PZ2 x 125mm
- Supplied in cardboard display case

Product Code	Size	Order Qty	Box Qty	List Price
OX-P363107	7 Piece Set	1	8	

**PRO SCREWDRIVER VARIOUS SIZES****FEATURES**

- Soft grip handle moulded directly to shaft for ultimate strength
- Colour coded handles & magnetic tips



Product Code	Size	Order Qty	Box Qty	List Price
OX-P362275	Slotted Flared 75x4mm	1	12	
OX-P362210	Slotted Flared 100x5.5mm	1	12	
OX-P362212	Slotted Flared 125x6.5mm	1	12	
OX-P362215	Slotted Flared 150x8mm	1	12	
OX-P362220	Slotted Flared 200x10mm	1	12	
OX-P362225	Slotted Flared 250x10mm	1	12	
OX-P362338	Slotted Flared Stubby 6.5x38mm	1	12	
OX-P362410	Slotted Parallel 100x4mm	1	12	
OX-P362415	Slotted Parallel 150x5.5mm	1	12	
OX-P362420	Slotted Parallel 200x5.5mm	1	12	
OX-P362425	Slotted Parallel 250x6.5mm	1	12	
OX-P362575	Phillips PH1 x 75mm	1	12	
OX-P362510	Phillips PH2 x 100mm	1	12	
OX-P362515	Phillips PH2 x 150mm	1	12	
OX-P362675	Pozi PZ0x75mm	1	12	
OX-P362710	Pozi PZ1x100mm	1	12	
OX-P362725	Pozi PZ1x250mm	1	12	
OX-P362812	Pozi PZ2x125mm	1	12	
OX-P362825	Pozi PZ2x250mm	1	12	
OX-P362915	Pozi PZ3x150mm	1	12	
OX-P363020	Pozi PZ4x200mm	1	12	

**PRO MULTIBIT RATCHET SCREWDRIVER****FEATURES**

- Easy access bit storage inside end of handle
- Chrome vanadium bits
- Lockable ratchet
- Contains: 3mm/5mm/6mm slotted, PH1/PH2 Phillips, PZ1/PZ2/PZ3 Pozidrive, T10/T15 Torx bits

Product Code	Size	Order Qty	Box Qty	List Price
OX-P361501	-	1	12	





SCAN THE QR  
TO LEARN MORE



## PRO BRICK TROWEL PHILADELPHIA

### FEATURES

- Solid forged steel blade for ultimate strength
- Precision tapered ground blade
- DURAGRIP handle with finger protection for extreme comfort
- Hard end handle for tapping in bricks
- Well balanced & perfect flexibility



Product Code	Size	Order Qty	Box Qty	List Price
OX-P011210	10" / 250mm	1	6	
OX-P011211	11" / 280mm	1	6	
OX-P011212	12" / 300mm	1	4	



## PRO BRICK TROWEL LONDON

### FEATURES

- Solid forged steel blade for ultimate strength
- Precision tapered ground blade
- DURAGRIP handle with finger protection for extreme comfort
- Hard end handle for tapping in bricks
- Well balanced & perfect flexibility



Product Code	Size	Order Qty	Box Qty	List Price
OX-P011111	11" / 280mm	1	6	



## PRO GAUGING TROWEL

### FEATURES

- High quality carbon steel
- Well balanced & perfect flexibility
- Soft grip handle for extreme comfort

Product Code	Size	Order Qty	Box Qty	List Price
OX-P011407	7" / 180mm	1	6	

## PRO POINTING TROWEL PHILADELPHIA

### FEATURES

- DURAGRIP handle with finger protection
- High quality carbon steel
- Straight welded shank
- Soft grip handle for extreme comfort

Product Code	Size	Order Qty	Box Qty	List Price
OX-P018504	4" / 102mm	1	6	
OX-P018505	5" / 127mm	1	6	
OX-P018506	6" / 152mm	1	6	



## PRO POINTING TROWEL LONDON

### FEATURES

- DURAGRIP handle with finger protection
- High quality carbon steel
- Straight welded shank
- Soft grip handle for extreme comfort

Product Code	Size	Order Qty	Box Qty	List Price
OX-P013604	4" / 102mm	1	6	
OX-P013605	5" / 127mm	1	6	
OX-P013606	6" / 152mm	1	6	



## PRO BUCKET TROWEL CARBON STEEL

### FEATURES

- DURAGRIP handle with finger protection
- High quality carbon steel
- Heavy duty straight shank
- Soft grip handle for extreme comfort
- Rounded edges allow better access to remove material from the bottom of buckets
- Helps to reduce punctures or damage traditionally caused by sharp trowel edges

Product Code	Size	Order Qty	Box Qty	List Price
OX-P013718	7" / 180mm	1	6	

SCAN THE QR  
TO LEARN MORE





**PRO BUCKET TROWEL STAINLESS STEEL****FEATURES**

- DURAGRIP handle with finger protection
- High quality stainless steel
- Heavy duty straight shank
- Soft grip handle for extreme comfort
- Rounded edges allow better access to remove material from the bottom of buckets
- Helps to reduce punctures or damage traditionally caused by sharp trowel edges

Product Code	Size	Order Qty	Box Qty	List Price
OX-P018418	7" / 180mm	1	6	

SCAN THE QR  
TO LEARN MORE**PRO TUCK POINTER****FEATURES**

- One piece high quality carbon steel blade
- DURAGRIP handle with finger protection
- Soft grip handle for extreme comfort

Product Code	Size	Order Qty	Box Qty	List Price
OX-P011508	6 3/4" x 1/4" / 8mm	1	12	
OX-P011510	6 3/4" x 3/8" / 10mm	1	12	
OX-P011512	6 3/4" x 1/2" / 12mm	1	12	
OX-P011519	6 3/4" x 3/4" / 19mm	1	12	
OX-P011525	6 3/4" x 1" / 25mm	1	12	

**PRO BRICK JOINTER****FEATURES**

- For a professional finish to joints between bricks
- Heavy duty design
- High quality steel
- Sizes clearly engraved onto tool

Product Code	Size	Order Qty	Box Qty	List Price
OX-P031101	1/2" x 5/8" / 13 x 16mm	1	6	
OX-P031102	3/4" x 7/8" / 19 x 22mm	1	6	
OX-P031103	5/8" x 3/4" / 16 x 19mm	1	6	
OX-P031104	3/8" x 1/2" / 10 x 13mm	1	6	

**PRO BRICK JOINT RAKER****FEATURES**

- Designed for clearing out mortar from between brickwork prior to pointing
- Strong aluminium handle contoured to fit the hand
- Two hardwearing wheels and replaceable point

Product Code	Size	Order Qty	Box Qty	List Price
OX-P031003	8 1/2" x 3"	1	6	

**PRO RUBBER LINE BLOCKS****FEATURES**

- 1 Piece rubber line block
- Lightweight and durable
- 40 pieces in colour card display box

Product Code	Size	Order Qty	Box Qty	List Price
OX-P101801	-	1	40	

**PRO LINE PINS - 2 PACK****FEATURES**

- Made from solid forged carbon steel for ultimate strength
- Taper ground point & edges - drives easily into the wall
- Chrome plated for fine finish, extra wear resistance and rust prevention
- Pack of 2 with plastic hang tag

Product Code	Size	Order Qty	Box Qty	List Price
OX-P100102	6" / 152mm	1	12	





## PRO DUTCH PINS - 4PK



## FEATURES

- Semi-round swivel arm
- Solid forged and hardened
- Made from high quality galvanised steel

Product Code	Size	Order Qty	Box Qty	List Price
OX-P100715	100 x 150mm	1	4	

## PRO CYAN BRICKLINE – 105M / 350FT



## FEATURES

- Mason's line made of tough twisted nylon
- Cyan colour for high visibility
- Very high quality durable material

Product Code	Size	Order Qty	Box Qty	List Price
OX-P103510	105M / 350FT	12	12	

## PRO NYLON BRAIDED BUILDERS LINE – 105M / 350FT



## FEATURES

- Ultra tough braided nylon brickline
- Cyan colour for high visibility

Product Code	Size	Order Qty	Box Qty	List Price
OX-P104210	105M / 350FT	1	12	

## TRADE BRICK TROWEL PHILADELPHIA



## FEATURES

- Quality carbon steel blade
- Tempered blade for strength
- Durable timber handle

Product Code	Size	Order Qty	Box Qty	List Price
OX-T017528	11" / 280mm	1	12	



## TRADE BRICK TROWEL LONDON



## FEATURES

- Quality carbon steel blade
- Tempered blade for strength
- Durable timber handle

Product Code	Size	Order Qty	Box Qty	List Price
OX-T017428	11" / 280mm	1	12	

## TRADE GAUGING TROWEL WOODEN HANDLE



## FEATURES

- Quality carbon steel blade
- Tempered blade for strength
- Durable timber handle

Product Code	Size	Order Qty	Box Qty	List Price
OX-T017718	7" / 180mm	1	12	

## TRADE POINTING TROWEL WOODEN HANDLE



## FEATURES

- Quality carbon steel blade
- Tempered blade for strength
- Durable timber handle

Product Code	Size	Order Qty	Box Qty	List Price
OX-T017813	5" / 127mm	1	12	
OX-T017915	6" / 152mm	1	12	

## TRADE BUCKET TROWEL WOODEN HANDLE



## FEATURES

- Quality carbon steel blade
- Tempered blade for strength
- Durable timber handle

Product Code	Size	Order Qty	Box Qty	List Price
OX-T017618	7" / 180mm	1	12	

**PRO BRICK CARRIER****FEATURES**

- Holds 8-12 bricks
- Adjustable jaw capacity
- Heavy duty construction
- Comfort grip ergonomic handle

Product Code	Size	Order Qty	Box Qty	List Price
OX-P171250	-	1	8	

**PRO PROFILE CLAMP****FEATURES**

- Solid steel & zinc plated
- 'T' bolt thumb screw
- Thread length 80mm

Product Code	Size	Order Qty	Box Qty	List Price
OX-P100302	50mm	1	4	
OX-P100307	178mm	1	4	
OX-P100312	300mm	1	4	

**PRO INTERNAL PROFILE CLAMP****FEATURES**

- Solid steel & zinc plated
- 'T' bolt thumb screw
- Thread length 80mm

Product Code	Size	Order Qty	Box Qty	List Price
OX-P102007	178mm	1	4	
OX-P102012	300mm	1	4	

**PRO MORTAR SPIKE****FEATURES**

- Solid steel & zinc plated
- New 'thread insert' threading system
- 'T' bolt/thumb screw & thread length 80mm

Product Code	Size	Order Qty	Box Qty	List Price
OX-P102201	120 x 30mm	1	4	

**PRO SLIDING PROFILE CLAMP****FEATURES**

- Zinc plated solid steel
- 'T' bolt/thumb screw
- Thread length 80mm

Product Code	Size	Order Qty	Box Qty	List Price
OX-P101213	330mm	1	4	

**PRO DORI BLOCK WITH LOCK BOLT****FEATURES**

- Genuine replacement part
- Zinc plated solid steel
- 'T' bolt/thumb screw. Can be clamped to the profile pole from either side
- Use with 40 & 50mm profile poles

Product Code	Size	Order Qty	Box Qty	List Price
OX-P100950	50 x 50mm	1	4	

**PRO NAIL ON PROFILE CLAMP****FEATURES**

- New 'thread' insert threading system
- Zinc plated solid steel
- 'T' bolt/thumb screw
- Thread length 80mm

Product Code	Size	Order Qty	Box Qty	List Price
OX-P102114	350mm	1	4	







## PRO PLASTERERS TROWEL CARBON

## FEATURES

- Pre-worn edges to eliminate line & ripple marks
- High quality tempered carbon steel blade
- Lightweight aluminium shank - fully riveted
- Handle set for perfect balance
- DURAGRIP handle for ultimate comfort

Product Code	Size	Order Qty	Box Qty	List Price
OX-P010911	4 3/4" x 11" / 120 x 280mm	1	6	
OX-P010914	4 3/4" x 14" / 120 x 356mm	1	6	
OX-P010918	4 1/2" x 18" / 115 x 457mm	1	6	

## PRO PLASTERERS TROWEL STAINLESS

## FEATURES

- Pre-worn edges to eliminate line & ripple marks
- High quality tempered stainless steel blade
- Lightweight aluminium shank - fully riveted
- Handle set for perfect balance
- DURAGRIP handle for ultimate comfort

Product Code	Size	Order Qty	Box Qty	List Price
OX-P011011	4 1/2" x 11" / 114 x 280mm	1	6	
OX-P011014	5" x 14" / 127 x 356mm	1	6	
OX-P011018	5" x 18" / 127 x 457mm	1	6	

SCAN THE QR TO LEARN MORE



## TRADE PLASTERING TROWEL

## FEATURES

- High grade flexible blade
- Award winning soft grip ergonomic handle design
- Heavy duty aluminium shank

Product Code	Size	Order Qty	Box Qty	List Price
OX-T534112	11" / 114 x 280mm	1	8	



## PRO SMALL TROWEL

## FEATURES

- Stainless steel properly shaped & tempered
- Fully riveted shank
- Lightweight but very strong aluminium shank
- DURAGRIP handle for ultimate comfort

Product Code	Size	Order Qty	Box Qty	List Price
OX-P013808	8" x 3" / 200 x 75mm	1	6	

## PRO SPEEDSKIM – ST (PLASTERING &amp; RENDERING)

## FEATURES

- Speedskim® is the new and revolutionary tool system designed to increase meterage output and enhance quality of finish – at the same time significantly reducing the harmful effects of fatigue & RSI
- Flattening, finishing & ruling off
- Compatible with all gypsum based plasters (hand and spray applied), Traditional sand & cement renders and insulated rendering systems
- Complete with integral blade guard

Product Code	Size	Order Qty	Box Qty	List Price
OX-P530945	450mm	1	14	
OX-P530960	600mm	1	14	
OX-P530990	900mm	1	14	
OX-P530912	1200mm	1	14	
OX-P530918	1800mm	1	5	

## Replacement blade


- Complete with integral blade guard and spare end caps

Product Code	Size	Order Qty	Box Qty	List Price
OX-P531245	450mm	1	4	
OX-P531260	600mm	1	4	
OX-P531290	900mm	1	4	
OX-P531212	1200mm	1	4	
OX-P531218	1800mm	1	5	

Pro Pole Attachment available - see page 32.



SCAN THE QR TO LEARN MORE





## PRO SPEEDSKIM – SF (FINE FINISHING &amp; DRYWALL)

## FEATURES

- Speedskim® is the new and revolutionary tool system designed to increase meterage output and enhance quality of finish – at the same time significantly reducing the harmful effects of fatigue & RSI
- Ultra-fine 0.3mm stainless steel blade
- Fine finishing of plaster, drywall & tape & jointing
- Compatible with all gypsum based finishing plasters (hand and spray applied), Jointing systems and compounds
- Complete with integral blade guard

Product Code	Size	Order Qty	Box Qty	List Price
OX-P531030	300mm	1	14	
OX-P531045	450mm	1	14	
OX-P531060	600mm	1	14	
OX-P531090	900mm	1	14	
OX-P531012	1200mm	1	14	

## Replacement blade

- Complete with integral blade guard and spare end caps

Product Code	Size	Order Qty	Box Qty	List Price
OX-P531330	300mm	1	14	
OX-P531345	450mm	1	14	
OX-P531360	600mm	1	14	
OX-P531390	900mm	1	14	
OX-P531312	1200mm	1	14	



Pro Pole Attachment available - see page 32.

## PRO SPEEDSKIM – PF (FINE FINISHING &amp; DRYWALL)

## FEATURES

- Speedskim® is the new and revolutionary tool system designed to increase meterage output and enhance quality of finish – at the same time significantly reducing the harmful effects of fatigue & RSI
- Thin 1mm lightweight plastic blade for an excellent finish
- Fine finishing of plaster, drywall & tape & jointing
- Compatible with all gypsum based finishing plasters (hand and spray applied), Jointing systems and compounds
- Complete with integral blade guard

Product Code	Size	Order Qty	Box Qty	List Price
OX-P532945	450mm	1	14	
OX-P532960	600mm	1	14	
OX-P532990	900mm	1	14	
OX-P532912	1200mm	1	14	

## Replacement blade

- Complete with integral blade guard and spare end caps

Product Code	Size	Order Qty	Box Qty	List Price
OX-P533045	450mm	1	14	
OX-P533060	600mm	1	14	
OX-P533090	900mm	1	14	
OX-P533012	1200mm	1	14	



## WHAT DOES THE TRADE SAY?

“Essential bit of kit. One of the greatest innovations in the last 30 years”

“I’ve said it before and say it again. I wouldn’t be without mine”

“Only got mine 3 weeks ago makes life so much easier”

“Would be lost without mine now”

“Fantastic tool to use, makes a hard day lighter”

“Been plastering 42 years, sceptical at first, wouldn’t be without one now, great piece of kit”

“Absolutely tremendous piece of gear. Wouldn’t be without one now. Weighs next to nothing too”

Pro Pole Attachment available - see page 32.



## PRO SPEEDSKIM – RE (RENDERING)

## FEATURES

- The notched rendering blade from Speedskim® – complementing its award winning range
- Trapezoid profile
- Keys all base coats including: coloured, silicone based, monocouche and also traditional sand and cement render systems
- Speeds up the rendering process by delivering an even thickness to base coats – resulting in flatter faster finish
- Significantly reduces the harmful effects of fatigue & RSI
- Tough, high-grade 0.7mm Sheffield stainless steel blade
- Fully interchangeable

Product Code	Size	Order Qty	Box Qty	List Price
OX-P534245	450mm	1	14	
OX-P534260	600mm	1	14	
OX-P534290	900mm	1	14	

## Replacement blade

- Complete with integral blade guard and spare end caps

Product Code	Size	Order Qty	Box Qty	List Price
OX-P534345	450mm	1	14	
OX-P534360	600mm	1	14	
OX-P534390	900mm	1	14	

## PRO SPEEDSKIM – POLE ATTACHMENT

## FEATURES

- Fully compatible with all standard professional 'threaded' extension poles
- Constructed from 'tough glass filled' nylon
- Compatible with all sizes of Speedskim

Product Code	Size	Order Qty	Box Qty	List Price
OX-P531501	–	1	32	

Pro Telescopic Universal Pole available - see page 40.

Covered by world patents, registered designs & pending applications.



## PRO ULTRAFLEX FINISHING TROWEL

## FEATURES

- New ultra flexible trowel for a perfect finish
- Lightweight fully fastened shank for superior balance and strength
- Unique twin blade technology for ultimate flexibility
- 0.3mm Ultra flexible stainless steel blade
- Rounded corners to ensure a smooth finish
- Ergonomic soft grip handle

Product Code	Size	Order Qty	Box Qty	List Price
OX-P530111	280 x 110mm / 11"	1	1	
OX-P530114	355 x 110mm / 14"	1	1	
OX-P530116	405 x 110mm / 16"	1	1	
OX-P530118	455 x 110mm / 18"	1	1	



SCAN THE QR  
TO LEARN MORE



## PRO ULTRAFLEX SMALL TROWEL

## FEATURES

- New ultra flexible trowel for a perfect finish
- Lightweight fully fastened shank for superior balance and strength
- Unique twin blade technology for ultimate flexibility
- 0.3mm Ultra flexible stainless steel blade
- Rounded corners to ensure a smooth finish
- Ergonomic soft grip handle

Product Code	Size	Order Qty	Box Qty	List Price
OX-P532608	200 x 80mm / 8"	1	1	





## PRO SEMI FLEX STAINLESS STEEL TROWEL



## FEATURES

- New semi flexible trowel for a perfect finish, also suitable for laying on

Product Code	Size	Order Qty	Box Qty	List Price
OX-P532514	355 x 125mm / 14"	1	1	
OX-P532516	405 x 125mm / 16"	1	1	

## PRO SEMIFLEX PLASTIC FINISHING TROWEL



SCAN THE QR  
TO LEARN MORE



## FEATURES

- Replaceable plastic blade system
- Light weight shank design
- Ergonomic soft grip handle

Product Code	Size	Order Qty	Box Qty	List Price
OX-P532414	355 x 138mm / 14"	1	1	
OX-P532416	405 x 138mm / 16"	1	1	
OX-P532418	455 x 138mm / 18"	1	1	
OX-P532420	505 x 138mm / 20"	1	1	

Replaceable plastic blade - 2 pack

Product Code	Size	Order Qty	Box Qty	List Price
OX-P532714	355 x 138mm / 14"	1	1	
OX-P532716	405 x 138mm / 16"	1	1	
OX-P532718	455 x 138mm / 18"	1	1	
OX-P532720	505 x 138mm / 20"	1	1	

## TRADE PLASTIC FINISHING TROWEL



## FEATURES

- Ultra flexible plastic blade for the perfect finish
- Comfortable soft grip handle

Product Code	Size	Order Qty	Box Qty	List Price
OX-T531714	355 x 140mm / 14"	1	6	
OX-T531716	405 x 140mm / 16"	1	6	
OX-T531718	455 x 140mm / 18"	1	6	



## PRO PIPE TROWEL

## FEATURES

- Strong and lightweight aluminium shank
- High quality steel blade
- DURAGRIP handle for ultimate comfort
- Used for working plaster or cement behind pipes or other difficult to reach places

Product Code	Size	Order Qty	Box Qty	List Price
OX-P0110003	10 1/2" & 3" / 260 x 75mm	1	6	



## PRO MARGIN TROWEL

## FEATURES

- High quality carbon steel
- Flat rectangular blade
- DURAGRIP handle for extreme comfort
- Precision tapered ground blade

Product Code	Size	Order Qty	Box Qty	List Price
OX-P013405	5" x 2" / 125 x 50mm	1	12	




## PRO ALUMINIUM PLASTERERS HAWK

## FEATURES

- High quality tempered aluminium blade
- Sturdy ergonomic soft grip handle with foam anti blister ring
- Machined concentric circles on blade to prevent mortar from sliding off
- 330 x 330mm

Product Code	Size	Order Qty	Box Qty	List Price
OX-P010513	13" x 13" / 330 x 330mm	1	4	]



SCAN THE QR  
TO LEARN MORE







## PRO DRY WALL INTERNAL CORNER TROWEL



SCAN THE QR  
TO LEARN MORE

### FEATURES

- Flexible stainless steel blade with strong aluminium mounting
- Flexes for perfect 90° corners
- Curved corners to eliminate lines in plaster

Product Code	Size	Order Qty	Box Qty	List Price
OX-P013001	4" x 5" / 102 x 127mm	1	6	

## PRO DRY WALL EXTERNAL CORNER TROWEL



### FEATURES

- Flexible stainless steel blade – 90° radius
- DURAGRIP handle for extreme comfort

Product Code	Size	Order Qty	Box Qty	List Price
OX-P013105	4" x 5" / 100 x 125mm	1	6	

## PRO BUCKET TROWEL CARBON STEEL



### FEATURES

- DURAGRIP handle with finger protection
- High quality carbon steel
- Heavy duty straight shank
- Rounded edges allow better access to remove material from the bottom of buckets
- Helps to reduce punctures or damage traditionally caused by sharp trowel edges

Product Code	Size	Order Qty	Box Qty	List Price
OX-P013718	7" / 180mm	1	6	



## PRO BUCKET TROWEL STAINLESS STEEL

### FEATURES

- DURAGRIP handle with finger protection
- High quality stainless steel
- Heavy duty straight shank
- Soft grip handle for extreme comfort
- Rounded edges allow better access to remove material from the bottom of buckets
- Helps to reduce punctures or damage traditionally caused by sharp trowel edges



Product Code	Size	Order Qty	Box Qty	List Price
OX-P018418	7" / 180mm	1	6	

## PRO EXTERNAL CORNER TROWEL STAINLESS STEEL

### FEATURES

- Ideal for smoothing plaster in hard-to-reach corners
- Curved corners to eliminate lines in plaster
- Flexible stainless-steel blade with strong aluminium mounting
- Flexes for perfect 90° corners
- Riveted shank for greater strength and durability
- Ergonomically designed DURAGRIP handle for comfort during use



Product Code	Size	Order Qty	Box Qty	List Price
OX-P408601	30 x 80mm	1	6	
OX-P408801	60 x 80mm	1	6	

## PRO INTERNAL CORNER TROWEL STAINLESS STEEL

### FEATURES

- Ideal for smoothing plaster in hard-to-reach corners
- Curved corners to eliminate lines in plaster
- Flexible stainless-steel blade with strong aluminium mounting
- Flexes for perfect 90° corners
- Riveted shank for greater strength and durability
- Ergonomically designed DURAGRIP handle for comfort during use



Product Code	Size	Order Qty	Box Qty	List Price
OX-P408701	30 x 80mm	1	6	
OX-P408901	60 x 80mm	1	6	



## PRO HARLING TROWEL

## FEATURES

- DURAGRIP handle with finger protection
- Used to throw pebbles onto the mortar when pebble dashing

Product Code	Size	Order Qty	Box Qty	List Price
OX-P0110106	6 1/2" & 6 1/2" / 165 x 165mm	1	6	

## PRO MIXING PADDLE – HEX SHAFT

## FEATURES

- Positive ribbon / hex shaft
- General purpose use on low to medium viscosity materials
- Chrome plated, durable, high quality steel

Product Code	Size	Order Qty	Box Qty	List Price
OX-P120308	80 x 400mm	1	12	
OX-P120310	100 x 600mm	1	6	
OX-P120312	120 x 600mm	1	6	

## PRO MIXING PADDLE – M14 THREAD

## FEATURES

- Negative Helix / M14 Thread end
- Chrome Plates, durable, high quality Steel
- For mixing acrylic render with grit, thick paint etc - use on medium viscosity materials

Product Code	Size	Order Qty	Box Qty	List Price
OX-P120435	135 x 650mm	1	6	

## PRO TAPING KNIFE

## FEATURES

- High quality flexible stainless steel blade
- DURAGRIP soft handle for extreme comfort
- Strong aluminium back

Product Code	Size	Order Qty	Box Qty	List Price
OX-P013320	8" / 200mm	1	6	
OX-P013325	10" / 250mm	1	6	
OX-P013330	12" / 300mm	1	6	



## PRO JOINT KNIFE

## FEATURES

- Flexible stainless steel blade
- Built-in hammer end
- DURAGRIP soft handle for extreme comfort

Product Code	Size	Order Qty	Box Qty	List Price
OX-P013203	1 1/4" / 32mm	1	6	
OX-P013205	2" / 50mm	1	6	
OX-P013207	3" / 76mm	1	6	
OX-P013210	4" / 102mm	1	6	
OX-P013212	5" / 127mm	1	6	
OX-P013215	6" / 152mm	1	6	



SCAN THE QR  
TO LEARN MORE



## PRO SDS PLUS – M14 (F) ADAPTOR

## FEATURES

- Converts M14 thread to a SDS Plus fitting
- Enables quick and easy conversion of M14 threaded paddle to be used with SDS drill

Product Code	Size	Order Qty	Box Qty	List Price
OX-P122101	for 14mm M14	1	25	





## TRADE FEATHER EDGES

## FEATURES

- Combined feather edge & straight edge
- Mill finished aluminium construction
- Very light and manoeuvrable
- Printed scale for ruling

Product Code	Size	Order Qty	Box Qty	List Price
OX-T024812	1200mm / 4ft	2	12	
OX-T024818	1800mm / 6ft	2	12	

## PRO HAND SANDER

## FEATURES

- Soft grip handle
- Lightweight durable design
- Fast changing sandpaper design
- Bonded foam pad

Product Code	Size	Order Qty	Box Qty	List Price
OX-P070701	240mm x 80mm	1	4	

## TRADE DRYWALL RASP

## FEATURES

- Lightweight polypropylene handle and metal body
- For use on wood, aluminium, copper, plastic & laminates

Product Code	Size	Order Qty	Box Qty	List Price
OX-T071725	250mm	1	48	



## PRO HEAVY DUTY SWIVEL SANDER HEAD

## FEATURES

- Lightweight easy swivel sanding head
- Unique quick release system
- Suitable for sandpaper size 80 x 230mm

Product Code	Size	Order Qty	Box Qty	List Price
OX-P071580	-	1	48	



## PRO DRY WALL SCARIFIER

## FEATURES

- High quality Scarifier for the preparation of drywall surfaces to help keying of plaster
- Heat treated tines fitted in strong aluminium back

Product Code	Size	Order Qty	Box Qty	List Price
OX-P051620	200mm / 8"	1	6	
OX-P051625	250mm / 10"	1	6	
OX-P051630	300mm / 12"	1	6	



## TRADE RENDER SCRAPER

## FEATURES

- Heavy duty 2 component handle
- Galvanised metal spiked base plate
- Used for keying and scraping render surfaces

Product Code	Size	Order Qty	Box Qty	List Price
OX-T051425	250 x 130mm	1	20	





## PRO SPONGE RUBBER FLOAT

## FEATURES

- Sponge rubber Fine or Coarse cell pads cemented to aluminium backing plate

Product Code	Description	Order Qty	Box Qty	List Price
OX-P405301	Fine	1	5	
OX-P405401	Coarse	1	5	



## PRO SMALL TOOL

## FEATURES

- High quality carbon steel
- One piece drop forged
- Precision ground & tempered

Product Code	Size	Order Qty	Box Qty	List Price
OX-P010113	13mm	1	6	
OX-P010116	16mm	1	6	
OX-P010119	19mm	1	6	



## PRO TELESCOPIC UNIVERSAL POLE

## FEATURES

- Universal steel thread
- Unique double locking mechanism for extra stability

Product Code	Size	Order Qty	Box Qty	List Price
OX-P071601	1350-3500mm	1	24	



## TRADE PLASTIC PLASTERERS MUD PAN

## FEATURES

- Durable plastic construction
- Plastic pan designed to withstand variations in temperature
- Long-lasting and impact-resistant construction
- Built-in, rust-resistant steel blades angled to make wiping knives easier
- Ideal for mixing plaster, jointing compound & other fillers
- Suitable for blades up to 12"/ 300mm wide

Product Code	Size	Order Qty	Box Qty	List Price
OX-T530712	12in / 300mm	1	6	



## PRO STAINLESS STEEL PLASTERERS MUD PAN

## FEATURES

- Stainless steel construction
- Sheared sides for cleaning knives
- Polished interior surfaces for easy cleaning
- Tapered ends and sides
- Watertight seams
- Welded ends for a strong smooth interior finish
- Bottom of pan is contoured for easy scooping and clean up
- Smooth corners prevent build-up

Product Code	Size	Order Qty	Box Qty	List Price
OX-P530812	12in / 300mm	1	6	
OX-P530814	14in / 350mm	1	6	



## PRO 5 ROW WATER BRUSH

## FEATURES

- Ideal for flicking water onto the wall to liven up the plaster
- White Tampico fibre bristles
- Round wooden handle pinned and glued for secure attachment
- Bristles set securely into hardwood block

Product Code	Size	Order Qty	Box Qty	List Price
OX-P060105	-	1	12	







## PRO POLYMER SPONGE FLOAT



### FEATURES

- One piece HDPS material
- Ergonomic handle
- Special 'fine cell' sponge

Product Code	Size	Order Qty	Box Qty	List Price
OX-P016411	4 3/4" x 12" / 120 x 300mm	1	6	

## PRO POLYURETHANE PLASTERERS FLOAT




### FEATURES

- Lightweight sturdy construction
- Non-absorbent pattern face

Product Code	Size	Order Qty	Box Qty	List Price
OX-P016815	14" x 6" / 350 x 150mm	1	10	
OX-P016811	11" x 4 1/2" / 280 x 110mm	1	10	

## PRO POLYURETHANE PLASTERERS HAWK



### FEATURES

- Lightweight sturdy construction

Product Code	Size	Order Qty	Box Qty	List Price
OX-P016933	13" x 13" / 330 x 330mm	1	6	

## PRO POINTED FLOORING TROWEL

### FEATURES

- DURAGRIP handle with soft grip
- Stainless steel blade
- High grade and flexible blade
- Heavy duty fully riveted aluminium shank
- Stainless steel rivets for holding the blade, shank and handle together for unsurpassed strength

Product Code	Size	Order Qty	Box Qty	List Price
OX-P018716	16" / 115 x 405mm	1	6	
OX-P018718	18" / 115 x 450mm	1	6	



## PRO CEMENT FINISHING TROWEL

### FEATURES

- DURAGRIP handle with soft grip
- Stainless steel blade
- High grade and flexible blade
- Heavy duty fully riveted aluminium shank
- Stainless steel rivets for holding the blade, shank and handle together for unsurpassed strength

Product Code	Size	Order Qty	Box Qty	List Price
OX-P018814	14" / 120 x 356mm	1	6	
OX-P018816	16" / 115 x 405mm	1	6	



## PRO POOL FINISHING TROWEL

### FEATURES

- Heavy duty aluminium shank
- DURAGRIP handle
- Stainless steel rivets holds the blade, shank and handle together with unsurpassed strength
- High grade stainless steel blade

Product Code	Size	Order Qty	Box Qty	List Price
OX-P015818	4 1/3 x 17 3/4" / 110 x 450mm	1	4	





## PRO NARROW EDGER



### FEATURES

- High grade stainless steel blade
- Riveted handle support
- DURAGRIP handle for comfort

Product Code	Description	Order Qty	Box Qty	List Price
OX-P014406	75 x 180mm, 6mm (R), 12mm (D)	1	6	
OX-P014410	75 x 180mm, 10mm (R), 19mm (D)	1	4	

## PRO MEDIUM EDGER



### FEATURES

- High grade stainless steel blade
- Riveted handle support
- DURAGRIP handle for comfort

Product Code	Description	Order Qty	Box Qty	List Price
OX-P014506	100 x 180mm, 6mm (R), 14mm (D)	1	6	
OX-P014510	100 x 180mm, 10mm (R), 14mm (D)	1	4	
OX-P014519	100 x 180mm, 19mm (R), 19mm (D)	1	6	

## PRO EXTRA WIDE EDGER



### FEATURES

- High grade stainless steel blade
- Riveted handle support
- DURAGRIP handle for comfort

Product Code	Description	Order Qty	Box Qty	List Price
OX-P014910	145 x 215mm, 10mm (R), 12mm (D)	1	6	
OX-P014912	145 x 215mm, 12mm (R), 24mm (D)	1	6	
OX-P014916	145 x 215mm, 16mm (R), 24mm (D)	1	4	
OX-P014925	145 x 215mm, 25mm (R), 24mm (D)	1	6	



## PRO GROOVER

### FEATURES

- High grade stainless steel blade
- DURAGRIP handle for comfort

Product Code	Size	Order Qty	Box Qty	List Price
OX-P012510	90 x 180mm Groove 4.8mm (W), 10mm (D)	1	6	



## PRO MAGNESIUM FLOAT

### FEATURES

- Heavy duty magnesium blade
- Bevelled ends and rounded blade
- Soft grip handle for comfort

Product Code	Size	Order Qty	Box Qty	List Price
OX-P017012	12" / 300mm	1	6	
OX-P017016	16" / 400mm	1	4	
OX-P017020	20" / 500mm	1	6	



## PRO SPINNER FLOAT

### FEATURES

- High grade stainless steel dish design
- Reversible DURAGRIP handle

Product Code	Size	Order Qty	Box Qty	List Price
OX-P014112	120 x 290mm	1	4	
OX-P014114	145 x 215mm	1	6	



## PRO DOUBLE HANDLE STAINLESS STEEL RESIN TROWEL

### FEATURES

- Rounded ends for smoothing out imperfections for the perfect finish
- Features dual handle for greater control and improved useability on the job site
- Stainless steel blade for durability and resistance to rust
- Manufactured from high quality steel
- DURAGRIP handle with soft grip for comfort during use
- Specialist trowel for resin bound gravel applications
- Stainless steel rivetted shank for increased strength

Product Code	Size	Order Qty	Box Qty	List Price
OX-P535618	110 x 450mm	1	24	





## TRADE LIGHTWEIGHT EXTRUSION RAKE

### FEATURES

- Lightweight for ease of use
- Extruded rake plate
- 45 degree edge angle
- 1500mm long handle with soft grip

Product Code	Description	Order Qty	Box Qty	List Price
OX-T016301	100 x 500mm	1	4	



## PRO ALUMINIUM CONCRETE RAKE

### FEATURES

- 1500mm long handle with soft grip
- Braced for additional strength
- Aluminium construction - powder coated

Product Code	Description	Order Qty	Box Qty	List Price
OX-P016302	100 x 500mm	1	4	



## PRO ALUMINIUM CONCRETE RAKE - WITH HOOK

### FEATURES

- Braced for additional strength
- With 8mm diameter hook for lifting rebar
- 1500mm long handle with soft grip

Product Code	Description	Order Qty	Box Qty	List Price
OX-P016303	100 x 500mm	1	4	

SCAN THE QR  
TO LEARN MORE



## PRO ALUMINIUM BULLFLOAT - WITH TELESCOPIC HANDLE

### FEATURES

- Fluted profile
- Powder coated finish
- H.D.P.E screw-lock fitting
- High quality extruded aluminium
- Extruded ribs for extra strength
- Easy to clean powder coated finish
- Heavy duty structural alloy
- Twist and tilt knuckle operation lifts and drops the blade when pushing or pulling across the wet concrete.

Product Code	Size	Order Qty	Box Qty	List Price
OX-P016612	Bullfloat 1200mm	1	4	
OX-P016524	Handle 1300 - 2400mm	1	4	

SCAN THE QR  
TO LEARN MORE



## PRO WIDE END CUTTING NIPPERS

### FEATURES

- PVC Firm grip handle
- Drop forged from high quality carbon steel
- Individually hardened

Product Code	Description	Order Qty	Box Qty	List Price
OX-P230420	200mm / 8"	1	6	





## PRO NOTCH TROWEL



## FEATURES

- Carbon steel blade
- Aluminium heavy duty shank
- DURAGRIP handle for comfort

Product Code	Size	Order Qty	Box Qty	List Price
OX-P403206	115 x 280mm - 6mm	1	6	
OX-P403208	115 x 280mm - 8mm	1	6	
OX-P403210	115 x 280mm - 10mm	1	6	
OX-P403212	115 x 280mm - 12mm	1	6	

## TRADE NOTCH TROWEL



## FEATURES

- Carbon steel blade
- Ergonomic soft grip handle

Product Code	Size	Order Qty	Box Qty	List Price
OX-T535106	120 x 310mm - 6mm	1	8	
OX-T535108	120 x 310mm - 8mm	1	8	
OX-T535110	120 x 310mm - 10mm	1	8	

## TRADE NOTCHED STAINLESS TROWEL



## FEATURES

- Stainless steel blade for durability and rust resistance
- Heavy duty riveted aluminium shank for strength and durability
- DURAGRIP handle for comfort during use

Product Code	Size	Order Qty	Box Qty	List Price
OX-T535706	120 x 310mm - 6mm	1	16	
OX-T535708	120 x 310mm - 8mm	1	16	
OX-T535710	120 x 310mm - 10mm	1	16	
OX-T535712	120 x 310mm - 12mm	1	16	



## PRO SOFT GRIP GROUT FLOAT

## FEATURES

- Soft grip ergonomic handle
- Gum rubber black with bevelled edges
- Plastic backer with foam cushion for even pressure

Product Code	Size	Order Qty	Box Qty	List Price
OX-P406224	100 x 240mm	1	12	



## PRO SPONGE FLOAT

## FEATURES

- Soft grip handle for ultimate grip and comfort
- 30mm hydro-sponge pad, highly absorbent
- Profiled version for easier cleaning (OX-P140614)

Product Code	Size	Order Qty	Box Qty	List Price
OX-P140613	140 x 280mm	1	24	
OX-P140614	280 x 140mm	1	24	



## PRO GROUT REMOVER

## FEATURES

- Tungsten carbide tipped blade
- Ergonomic body and grip - with blade storage compartment in the hilt

Product Code	Size	Order Qty	Box Qty	List Price
OX-P130201	-	1	72	



## PRO GROUT REMOVER BLADE

## FEATURES

- Tungsten carbide tipped 50mm blade
- Suits OX-P130201

Product Code	Size	Order Qty	Box Qty	List Price
OX-P139801	1 x carbide blade & 1 x black carbide blade	1	100	





## PRO TILE NIPPERS

### FEATURES

- Heavy duty large blade nippers for ceramic tiles
- Tungsten carbide tipped jaws
- Soft grip ergonomic handle for extreme comfort

Product Code	Size	Order Qty	Box Qty	List Price
OX-P153080	200mm / 8"	1	5	

## TRADE TILE CLEANER

### FEATURES

- Heavy duty 2 component handle
- 2 Grout emulsifying pads included, Black for cleaning and white for polishing

Product Code	Size	Order Qty	Box Qty	List Price
OX-T142525	120 x 250mm	1	6	

## TRADE CROSS SHAPED TILE SPACERS

### FEATURES

- Durable tile spacers to help space tiles evenly to give professional finish
- Extra long legs
- 250 Pcs per bag

Product Code	Size	Order Qty	Box Qty	List Price
OX-T160902	2mm	1	250	
OX-T160903	3mm	1	250	
OX-T160904	4mm	1	250	
OX-T160905	5mm	1	250	

## TRADE WEDGE SHAPED TILE SPACERS

### FEATURES

- Strong & durable plastic tile wedges
- 500 Pcs per bag

Product Code	Size	Order Qty	Box Qty	List Price
OX-T160605	6mm	1	500	



## TRADE TILE WASH KIT

### FEATURES

- Large 24 litre container made from impact resistant plastic
- 4 lockable swivel wheels and large carry handle for easy moving and positioning around the worksite
- 3 adverse rollers on sliders to allow variable positioning over the container which allow optimum ringing of excess water from the sponge float
- Removable plastic grid on stilts for easy and effective rinsing of the sponge float with plenty of clearance to allow for build-up of excess grout
- Internal fill line to indicate optimum water height

Product Code	Size	Order Qty	Box Qty	List Price
OX-T140424	24 Litres	1	6	



SCAN THE QR TO LEARN MORE





## PRO TILE LEVEL SYSTEM WEDGE &amp; SPACER SET


## FEATURES

- Aligns tiles of different thicknesses
- Holds securely until adhesive has set
- Ensures a level surface. 100% parallel, symmetrical joint system
- Eliminates possibilities of lippage between tiles
- Wedges are reusable
- Precise, fast and easy to use
- Suitable for DIY and professional tile layers




Set with 100 wedges and 100  
x13mm spacers + Pliers


Product Code	Size	Order Qty	Box Qty	List Price
OX-P161811	1x13mm Spacers	1	20	
OX-P161812	2x13mm Spacers	1	20	




**STEP 1**  
Locate the spacers  
along the tile edge.



**STEP 2**  
Slide wedge  
into spacer.



**STEP 3**  
Align pliers and  
compress until  
tile is level.



**STEP 4**  
Once adhesive begins  
to go off break away  
easy snap spacer by  
kicking or knocking  
with a mallet.

## PRO WEDGE PLIERS

## FEATURES

- Ergonomically designed handle for comfort during use
- Strong polymer construction
- Adjustable scale
- Adjuster screw to moderate pressure depth
- Steel reinforced pliers core for strength



Product Code	Size	Order Qty	Box Qty	List Price
OX-P161801	-	1	3	



## PRO WEDGES BAG - 100PCS

## FEATURES


- Wedges have saw-shaped teeth to be adjusted to the cross-head precisely
- Round base so not to damage ceramics
- Supplied in bag of 100
- Wedges are reusable

100  
BAG


Product Code	Size	Order Qty	Box Qty	List Price
OX-P161810	-	1	16	

## PRO TILE LEVEL SYSTEM SPACERS - 250 PK


Product Code	Spacer Size	Order Qty	Box Qty	List Price
OX-P162702	1mm x 13mm	1pk	20	
OX-P162712	1.5mm x 13mm	1pk	20	
OX-P162722	2mm x 13mm	1pk	20	
OX-P162762	3mm x 13mm	1pk	20	
OX-P162732	2mm x 22mm (for tile thickness 12-20mm)	1pk	12	
OX-P162772	3mm x 22mm (for tile thickness 12-20mm)	1pk	12	

250  
BAG


OX-P162702




OX-P162712



OX-P162722



OX-P162762



OX-P162772



## PRO CLAW HAMMER

SCAN THE QR  
TO LEARN MORE

## FEATURES

- Non-slip grip handle with shock reduction
- Precision balanced
- Forged, one piece steel construction
- High quality steel for durability

Product Code	Size	Order Qty	Box Qty	List Price
OX-P080116	16oz / 450g	1	4	
OX-P080120	20oz / 560g	1	4	
OX-P080124	24oz / 680g	1	4	

## PRO STRAIGHT CLAW HAMMER

SCAN THE QR  
TO LEARN MORE

## FEATURES

- Non-slip grip handle with shock reduction
- Precision balanced
- Forged, one piece steel construction
- High quality steel for durability

Product Code	Size	Order Qty	Box Qty	List Price
OX-P082920	20oz / 560g	1	4	

## TRADE CLAW HAMMER

SCAN THE QR  
TO LEARN MORE

## FEATURES

- Heat treated carbon steel head
- Polished head with laser marked weight
- Textured grip

Product Code	Size	Order Qty	Box Qty	List Price
OX-T082820	20oz / 570g	1	4	



## PRO FRAMING HAMMER

## FEATURES

- Straight claw hammer designed for frame work
- Long handle for greater impact
- Non-slip grip handle with shock reduction
- Forged, one piece steel construction
- Precision balanced

Product Code	Size	Order Qty	Box Qty	List Price
OX-P082328	28oz / 790g	1	4	

SCAN THE QR  
TO LEARN MORE

## PRO BRICK HAMMER

## FEATURES

- Accurately ground chisel end for clean cutting
- Non-slip grip handle with shock reduction
- Forged, one piece steel construction
- Precision balanced

Product Code	Size	Order Qty	Box Qty	List Price
OX-P082424	24oz / 680g	1	4	

SCAN THE QR  
TO LEARN MORE

## PRO DRYWALL HAMMER

## FEATURES

- Crowned, scored hammer head to reduce the chance of impact marks on plasterboard
- Cutaway and notched cutting blade for withdrawing nails and cutting laths
- Non-slip grip handle with shock reduction

Product Code	Size	Order Qty	Box Qty	List Price
OX-P082614	14oz / 400g	1	4	

SCAN THE QR  
TO LEARN MORE



## TRADE FIBREGLASS CLAW HAMMER



## FEATURES

- Lightweight feel and perfect balance
- Curved head ideal for extracting nails
- Hardened & tempered steel head
- Unique OX fibreglass handle
- Reduces vibration
- Suitable for a variety of tasks
- Shock absorbent properties
- Non-slip ergonomically designed soft grip handle

Product Code	Size	Order Qty	Box Qty	List Price
OX-T081216	16oz / 450g	1	6	
OX-T081220	20oz / 570g	1	6	

## PRO FIBREGLASS CLAW HAMMER



## FEATURES

- Fibreglass shaft with an injection moulded grip
- Non-slip grip with shock reduction
- Precision balanced

Product Code	Size	Order Qty	Box Qty	List Price
OX-P081616	16oz / 450g	1	4	
OX-P081620	20oz / 570g	1	4	

## TRADE HICKORY HANDLE CLAW HAMMER



## FEATURES

- Premium quality genuine American hickory handle
- Forged high quality steel head
- Polished head with laser marked weight

Product Code	Size	Order Qty	Box Qty	List Price
OX-T085116	16oz / 450g	1	4	



## PRO CLUB HAMMER



## FEATURES

- Forged, one piece steel construction
- Non-slip grip handle with shock reduction
- High quality steel for durability

Product Code	Size	Order Qty	Box Qty	List Price
OX-P082703	3lb / 1.3kg	1	4	
OX-P082704	4lb / 1.8kg	1	4	

## TRADE FIBREGLASS CLUB HAMMER



## FEATURES

- Hardened high quality steel
- Extremely strong fibreglass handle
- Available in 2.5LB & 4LB

Product Code	Size	Order Qty	Box Qty	List Price
OX-T081302	2.5lb / 1.13kg	1	4	
OX-T081304	4lb / 1.8kg	1	4	

## PRO HICKORY HANDLE CLUB HAMMER



## FEATURES

- Hardened high quality steel
- Genuine hickory handle
- Available in 2.5LB & 4LB

Product Code	Size	Order Qty	Box Qty	List Price
OX-P081102	2.5lb / 1.1kg	1	4	
OX-P081104	4lb / 1.8kg	1	4	





## TRADE FIBREGLASS SLEDGE HAMMER

## FEATURES

- Hardened high quality steel
- Extremely strong fibreglass handle
- Ergonomic tough rubber grip collar
- Available in 7LB, 10LB & 14LB

Product Code	Size	Order Qty	Box Qty	List Price
OX-T081507	7lb / 3.2kg	1	4	
OX-T081510	10lb / 4.5kg	1	4	
OX-T081514	14lb / 6.3kg	1	2	



## PRO HICKORY HANDLE SLEDGE HAMMER

## FEATURES

- Hardened high quality steel
- Genuine hickory handle
- Rubber collar for strike protection
- Available in 7LB, 10LB & 14LB

Product Code	Size	Order Qty	Box Qty	List Price
OX-P081407	7lb / 3.2kg	1	2	
OX-P081410	10lb / 4.5kg	1	2	
OX-P081414	14lb / 6.3kg	1	2	



## TRADE COMBINATION RUBBER MALLET

## FEATURES

- Standard black face for general work
- Semi hard white face that will not mark or discolour surfaces
- Strong & light fibreglass handle
- Comfortable grip

Product Code	Size	Order Qty	Box Qty	List Price
OX-T081916	16oz / 450g	1	6	
OX-T081924	24oz / 680g	1	6	
OX-T081932	32oz / 907g	1	6	

SCAN THE QR  
TO LEARN MORE



## PRO WHITE RUBBER MALLET

## FEATURES

- Quality, durable rubber mallet
- Available in 16oz, 24oz & 32oz

Product Code	Size	Order Qty	Box Qty	List Price
OX-P081816	16oz / 450g	1	6	
OX-P081824	24oz / 680g	1	6	
OX-P081832	32oz / 907g	1	6	



## TRADE BLACK RUBBER MALLET

## FEATURES

- Quality, durable rubber mallet
- Available in 16oz, 24oz & 32oz

Product Code	Size	Order Qty	Box Qty	List Price
OX-T081716	16oz / 450g	1	6	
OX-T081724	24oz / 680g	1	6	
OX-T081732	32oz / 907g	1	6	



## PRO FORGED STEEL HATCHET

## FEATURES

- Pre sharpened blade for fast precise cuts
- One piece forged steel construction
- High quality carbon steel for durability
- Precision balanced
- Non-slip soft grip ergonomic comfort handle
- Notch for nail removal
- Blunt face for striking
- Thin neck for vibration reduction

Product Code	Size	Order Qty	Box Qty	List Price
OX-P086420	20oz / 570g	1	4	





## PRO HEAVY DUTY FIXED BLADE FOLDING KNIFE



## FEATURES

- Ultra sharp steel blades
- Easy change blade button pointer locks in four positions
- Blade storage compartment in handle and includes x3 replaceable blades
- Strong lightweight construction
- Built in notch for stripping wire and straps
- Ergonomically designed handle
- Lanyard eyelet for tethering
- Quick fold action
- Notched thumb rest for enhanced grip
- Sturdy Belt Hook on reverse
- Tool free blade change

Product Code	Size	Order Qty	Box Qty	List Price
OX-P224301	-	1	8	

## PRO FIXED FOLDING KNIFE



SCAN THE QR  
TO LEARN MORE



## FEATURES

- Compact foldable design
- Blade storage in handle
- Very fast blade change

Product Code	Size	Order Qty	Box Qty	List Price
OX-P221301	-	1	12	

## PRO RETRACTABLE FOLDING KNIFE



## FEATURES

- Retractable blade knife with easy folding mechanism
- Blade storage in handle
- Instant blade change

Product Code	Size	Order Qty	Box Qty	List Price
OX-P223501	-	1	12	



## PRO HEAVY DUTY UTILITY KNIFE

## FEATURES

- Quick blade changing - accepts most standard utility blades
- Firm grip handle
- Magnetic tip
- Storage for blade dispenser - 10 Blades included

Product Code	Size	Order Qty	Box Qty	List Price
OX-P220310	-	1	12	



## TRADE HEAVY DUTY KNIFE

## FEATURES

- Heavy duty knife with tough metal construction
- Accepts most standard utility blades
- Blade storage in handle
- Retractable blade

Product Code	Size	Order Qty	Box Qty	List Price
OX-T222701	-	1	12	



## TRADE RETRACTABLE UTILITY KNIFE

## FEATURES

- Tough metal construction
- Accepts most standard utility blades
- Blade storage in handle

Product Code	Size	Order Qty	Box Qty	List Price
OX-T220601	-	1	12	



## TRADE UTILITY KNIFE

## FEATURES

- Ergonomic body shape for comfort during long periods of use
- Tough metal construction
- Soft grip insert for added grip

Product Code	Size	Order Qty	Box Qty	List Price
OX-T224101	-	1	12	





## PRO HEAVY DUTY KNIFE BLADES – 10 / 100 PACK



## FEATURES

- General purpose heavy duty blades in dispenser
- High quality SK2 steel - extra flexible and durable

Product Code	Size	Order Qty	Box Qty	List Price
OX-P222010	10 Pack	20	20	
OX-P222110	100 Pack	6	6	

## PRO HOOKED KNIFE BLADE – 10 / 100 PACK



## FEATURES

- Hooked heavy-duty blades in dispenser
- High quality SK2 steel - extra flexible and durable

Product Code	Size	Order Qty	Box Qty	List Price
OX-P222510	10 Pack	20	20	
OX-P222610	100 Pack	6	6	

## TRADE SNAP OFF KNIFE - 18MM



## FEATURES

- High quality fantastic value 18mm snap off blade knife
- Supplied with 2 spare blades stored within the handle
- Unique Japanese ultra sharp black snap off blades made from premium grade steel and tempered for the optimum balance of hardness and pliability

Product Code	Description	Order Qty	Box Qty	List Price
OX-T223818	Snap Off Knife	1	10	
OX-P223910	Blade - 10 Pack	1	20	

## TRADE WINDOW SCRAPER



## FEATURES

- Comfortable moulded plastic handle
- Detachable blade guard
- Uses standard trimming knife blade

Product Code	Size	Order Qty	Box Qty	List Price
OX-T051501	-	1	25	



## PRO HEAVY DUTY FLOOR SCRAPER

## FEATURES

- Heavy duty chrome plated solid steel handle
- Cushion grip
- Solid steel hammer end cap
- The heaviest duty scraper on the market today

Product Code	Size	Order Qty	Box Qty	List Price
OX-P051218	5" / 127mm	1	6	

Replaceable blade - 10 pack

Product Code	Size	Order Qty	Box Qty	List Price
OX-P051310	Replacement Blades - 10 pk	1	20	



## PRO STRAIGHT TIN SNIPS – 10" (250MM)

## FEATURES

- Hardened steel for durability and clean cut
- Non-slip comfort grip handle

Product Code	Size	Order Qty	Box Qty	List Price
OX-P223010	10" / 250mm	1	6	



## PRO SNIPS


## FEATURES

- 185mm (7") durable ultra sharp snips
- Comfort grip ergonomically designed handles
- Stainless Steel serrated edge blades for increased cutting capacity
- Ideal for all industrial applications including wire netting, light gauge aluminium, carpet, leather, Kevlar®, and many other items
- Ideal knife replacement tool

SCAN THE QR TO LEARN MORE



Product Code	Cut Direction	Order Qty	Box Qty	List Price
OX-P233001	Straight	1	12	





## PRO AVIATION SNIPS

## FEATURES

- Heat treated alloy jaws - fully adjustable and replaceable
- Rated to cut HRC49
- Max cut 1.5mm mild steel / 0.9 stainless steel

Product Code	Cut Direction	Order Qty	Box Qty	List Price
OX-P231001	Left (red)	1	4	
OX-P231003	Straight (yellow)	1	4	
OX-P231002	Right (green)	1	4	

## TRADE AVIATION SNIPS

## FEATURES

- Soft grip ergonomic handle
- Locking mechanism
- Ultra strong construction
- Straight cut jaw

Product Code	Cut Direction	Order Qty	Box Qty	List Price
OX-T232901	Straight	1	4	

## PRO HEAVY DUTY AVIATION SNIPS

## FEATURES

- Extra sharp long life serrated jaws for fast accurate cutting
- Ergonomic and comfortable soft grip handles
- Internal one handed auto release system

Product Code	Cut Direction	Order Qty	Box Qty	List Price
OX-P232801	Left (red)	1	4	
OX-P232803	Straight (yellow)	1	4	
OX-P232802	Right (green)	1	4	



## PRO HAND SAW - 20" &amp; 22"

## FEATURES

- Ultimate Ergonomic soft grip handle for extreme comfort and increased power
- Triple ground and impulse hardened teeth for aggressive cutting and longer life
- Improved stability for faster cutting
- Integral 45 and 90 degree angles built into handle
- Suitable for Universal cutting
- 8 teeth per inch, 1mm blade thickness

Product Code	Size	Order Qty	Box Qty	List Price
OX-P133250	20" / 500mm	1	12	
OX-P133255	22" / 550mm	1	12	

## TRADE HAND SAW - 20" &amp; 22"

## FEATURES

- High quality 1mm steel blade with double ground and impulse hardened teeth for a fast clean cut
- 8 TPI (teeth per inch) for fast universal cutting with or across the grain
- Heavy duty screwed robust handle designed to be comfortable and durable

Product Code	Size	Order Qty	Box Qty	List Price
OX-T130950	20" / 500mm	1	10	
OX-T130955	22" / 550mm	1	10	
OX-T133703	Triple Pack x3 22"	1	4	



Suitable for cutting general building materials such as, wood, MDF, Ply, Marine Ply, Skirting, Plastics, UPVC etc

## PRO JAB SAW WITH HOLSTER

## FEATURES

- Professional metal heavy duty jab saw with ergonomic soft grip handle
- Hardened & tempered blade for aggressive cutting - triple ground teeth
- Sharp point for piercing board
- Supplied with heavy duty holster for safe storage when not in use
- Fast cutting for drywall, wood & plastic

Product Code	Size	Order Qty	Box Qty	List Price
OX-P133116	6.5" / 165mm	1	12	



SCAN THE QR TO LEARN MORE





## TRADE JAB SAW WITH HOLSTER

## FEATURES

- Supplied with protective holster for safety when not in use
- Hardened & tempered steel blade for increased life
- 8 Teeth per inch
- Non-slip ergonomic handle
- Excellent for wood, plastic & drywall

Product Code	Size	Order Qty	Box Qty	List Price
OX-T131516	6.5" / 165mm	1	10	

## PRO BOLT CROPPERS

## FEATURES

- Heat treated alloy jaws - fully adjustable
- Rated to cut HRC40



Product Code	Size	Order Qty	Box Qty	List Price
OX-P230118	450mm / 18"	1	2	
OX-P230124	600mm / 24"	1	2	
OX-P230130	750mm / 30"	1	2	
OX-P230136	900mm / 36"	1	2	
OX-P230142	1050mm / 42"	1	2	

## PRO 21" BOW SAW

## FEATURES

- Pointed nose for better access in tight areas
- Robust extra heavy duty build for excellent stability & strength
- Ergonomic handle that absorbs cutting vibration
- Built in adjustable tensioning system to ensure greater precision and easy replacement of saw blade

Product Code	Size	Order Qty	Box Qty	List Price
OX-P133321	533mm / 21"	1	5	

## Replacement Blade

Product Code	Size	Order Qty	Box Qty	List Price
OX-P133421	533mm / 21"	1	200	



## PRO HIGH TENSION 12" (300MM) HACKSAW

## FEATURES

- Quick change blade design - 230kgf High blade tension
- Bi grip rubber handle
- Blade in either 45° / 90° cut position
- No tools needed to change blade

Product Code	Size	Order Qty	Box Qty	List Price
OX-P130730	12" / 300mm	1	6	



## PRO MINI 6" (150MM) HACKSAW

## FEATURES

- Bi grip rubber handle
- 6 Blade angle settings
- Industrial strength hacksaw

Product Code	Size	Order Qty	Box Qty	List Price
OX-P130815	6" / 150mm	1	12	



## PRO 12" (300MM) HACKSAW BLADES

## FEATURES

- Cuts aluminium, iron, copper, carbon steel and hard plastic
- Pack of 4 blades

Product Code	Size	Order Qty	Box Qty	List Price
OX-P131318	18 TPI PACK 4	1	50	
OX-P131324	24 TPI PACK 4	1	50	
OX-P131332	32 TPI PACK 4	1	50	



## PRO 6" HACKSAW BLADES – 24TPI

## FEATURES

- Cuts aluminium, iron, copper, carbon steel and hard plastic
- Pack of 10 blades

Product Code	Size	Order Qty	Box Qty	List Price
OX-P131424	24 TP1 PACK 10	1	24	







## PRO CLAW BAR

### FEATURES

- Unique hammer head
- Multi-functional claw bar for striking, prying & pulling
- Comfort non-slip grip handle
- Polished bevelled claw for better access

Product Code	Size	Order Qty	Box Qty	List Price
OX-P083010	10" / 250mm	1	6	
OX-P083012	12" / 300mm	1	6	



## PRO MOULDING BAR

### FEATURES

- Unique hammer head
- Multi-functional moulding bar with extra wide chisel blade
- Comfort non-slip grip handle
- Polished bevelled claw for better access

Product Code	Size	Order Qty	Box Qty	List Price
OX-P083110	10" / 250mm	1	6	



## PRO ELECTRICIAN'S CHISEL - 2 1/4" X 10"

### FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle

Product Code	Size	Order Qty	Box Qty	List Price
OX-P092002	2 1/4" x 10"	1	5	



SCAN THE QR  
TO LEARN MORE



## PRO FLOOR CHISEL - 3" X 11"

### FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle

Product Code	Size	Order Qty	Box Qty	List Price
OX-P092103	3" x 11"	1	5	



SCAN THE QR  
TO LEARN MORE




## PRO COLD CHISEL - 1" X 12"

### FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle

Product Code	Size	Order Qty	Box Qty	List Price
OX-P092401	1" x 12"	1	5	



SCAN THE QR  
TO LEARN MORE





## PRO BRICK CHISEL VARIOUS SIZES


SCAN THE QR  
TO LEARN MORE

## FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle
- For cutting & splitting of Bricks & Masonry

Product Code	Size	Order Qty	Box Qty	List Price
OX-P092303	3" x 8 1/2"	1	5	
OX-P092304	4" x 8 1/2"	1	5	

## PRO CONCRETE CHISEL – 3/4" X 12"

SCAN THE QR  
TO LEARN MORE

## FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle
- For cutting & breaking of Concrete

Product Code	Size	Order Qty	Box Qty	List Price
OX-P092501	3/4" x 12"	1	5	

## PRO HANDY BAR



## FEATURES

- Heat treated, forged steel
- For pulling, lifting or prying
- Powder coated to provide maximum resistance to rusting

Product Code	Size	Order Qty	Box Qty	List Price
OX-P093015	15" / 380mm	1	8	



## TRADE WRECKING BAR VARIOUS SIZES

## FEATURES

- Solid steel wrecking bar
- Forged high carbon steel - one piece

Product Code	Size	Order Qty	Box Qty	List Price
OX-T091012	12" / 300MM	1	10	
OX-T091018	18" / 450MM	1	10	
OX-T091024	24" / 600MM	1	10	
OX-T091030	30" / 750MM	1	10	
OX-T091036	36" / 900MM	1	10	



## TRADE COLD CHISEL VARIOUS SIZES

## FEATURES

- One piece forged steel for ultimate strength
- Hardened & tempered for durability
- For cutting & shaping metal

Product Code	Size	Order Qty	Box Qty	List Price
OX-T090110	1" X 10" / 25 X 250MM	1	6	
OX-T090112	1" X 12" / 25 X 300MM	1	6	
OX-T090118	1" X 18" / 25 X 450MM	1	4	
OX-T091206	½" X 6" / 13 X 150MM	1	10	
OX-T091208	¾" X 8" / 20 X 200MM	1	10	
OX-T091210	¾" X 10" / 20 X 250MM	1	10	
OX-T091212	¾" X 12" / 20 X 300MM	1	10	
OX-T091218	¾" X 18" / 20 X 450MM	1	6	



## TRADE PLUGGING CHISEL 230MM X 6MM

## FEATURES

- Steel plugging chisel
- One piece forged steel for ultimate strength

Product Code	Size	Order Qty	Box Qty	List Price
OX-T091106	230MM X 6MM	1	6	





## TRADE BRICK BOLSTER VARIOUS SIZES



## FEATURES

- One piece forged steel for ultimate strength
- Hardened & tempered for durability

Product Code	Size	Order Qty	Box Qty	List Price
OX-T090902	2 1/4" / 57MM	1	5	
OX-T090903	3" / 75MM	1	5	
OX-T090904	4" / 100MM	1	5	

## TRADE BRICK BOLSTER WITH GUARD VARIOUS SIZES



## FEATURES

- One piece forged steel for ultimate strength
- Hardened & tempered for durability
- Protection hand guard

Product Code	Size	Order Qty	Box Qty	List Price
OX-T090502	2 1/4" / 57MM	1	6	
OX-T090503	3" / 75MM	1	4	
OX-T090504	4" / 100MM	1	4	

## PRO HEAVY DUTY WRECKING BAR – 24"



## FEATURES

- Forged high carbon steel for incredible strength
- Slotted claw for pulling & prying nails
- Impressive powder coated finish

Product Code	Size	Order Qty	Box Qty	List Price
OX-P083524	24"	1	10	



## PRO DOUBLE ENDED SCUTCH HAMMER – 28OZ

## FEATURES

- Hardened high quality steel / strong fibreglass handle
- Takes OX scutch combs in both ends, designed for dressing bricks and masonry

Product Code	Size	Order Qty	Box Qty	List Price
OX-T085028	28oz	1	6	



## PRO SCUTCH COMB HOLDERS

## FEATURES

- For detachable stone dressing combs
- Hardened & tempered for durability - high carbon steel

Product Code	Size	Order Qty	Box Qty	List Price
OX-P090310	200 x 25MM / 8 x 1"	1	4	
OX-P090315	200 x 38MM / 8 x 1 1/2"	1	4	



## PRO SCUTCH COMBS – 4PK

## FEATURES

- To fit into a scutch comb holder
- For preparation of surface prior to re-rendering

Product Code	Size	Order Qty	Box Qty	List Price
OX-P080725	25MM	1	10	
OX-P080738	38MM	1	10	
OX-P080750	50MM	1	10	





## PRO ULTRA-WIDE JAW ADJUSTABLE WRENCH

## FEATURES

- Very slim head for access into tight spaces

Product Code	Size	Order Qty	Box Qty	List Price
OX-P324606	6" / 152mm	1	10	
OX-P324608	8" / 200mm	1	5	
OX-P324610	10" / 250mm	1	5	
OX-P324612	12" / 300mm	1	5	



Measurement scale on jaw

## PRO ADJUSTABLE WRENCH

## FEATURES

- Narrow head design for limited space applications

Product Code	Size	Jaw	Order Qty	Box Qty	List Price
OX-P324506	6" / 152mm	24mm	1	6	
OX-P324508	8" / 200mm	29mm	1	6	
OX-P324510	10" / 250mm	33mm	1	6	



Laser marked jaw scale

## PRO SLIM JAW ADJUSTABLE WRENCH

## FEATURES

- Ultra slim head for easy accessibility in confined spaces
- Double ended with a fixed jaw at one end for nuts, bars, screws etc

Product Code	Size	Jaw	Order Qty	Box Qty	List Price
OX-P560208	200mm/8"	32mm	1	6	



Measurement scale on jaw

## PRO STUBBY ADJUSTABLE WRENCH EXTRA JAW

## FEATURES

- Short handled wrench for access in restricted spaces
- 0 - 53mm ultra wide opening slim jaws
- Dipped handle for comfort
- Heavy duty build for long life

Product Code	Size	Jaw	Order Qty	Box Qty	List Price
OX-P560507	180mm/7"	53mm	1	6	



## PRO MINI ADJUSTABLE WRENCH - 100MM / 4"

## FEATURES

- Precision engineered compact design for manoeuvrability in tight spaces
- Angled head for improved accessibility
- Made from chromium-vanadium steel
- Compact and portable
- 17mm Jaw width

SCAN THE QR TO LEARN MORE



Product Code	Size	Order Qty	Box Qty	List Price
OX-P561004	100mm / 4"	1	10	

## PRO HEAVY DUTY ALUMINIUM SELF LOCKING WRENCH

## FEATURES

- OX Strength Self Locking Grip
- Grips Stainless steel tubes
- Super lightweight aluminium handle

Product Code	Size	Jaw	Order Qty	Box Qty	List Price
OX-P560110	10" / 250mm	34mm	1	12	



## PRO STILLSON PATTERN PIPE WRENCH

## FEATURES

- Deeply grooved jaws for instant grip and ratcheting action

Product Code	Size	Order Qty	Box Qty	List Price
OX-P441812	300mm / 12"	1	6	
OX-P441814	350mm / 14"	1	6	



## PRO LOCKING PLIERS

## FEATURES

- Quick jaw release lever for ease of opening

Product Code	Size	Order Qty	Box Qty	List Price
OX-P449323	230mm/9"	1	5	





## TRADE FIXED BASIN WRENCH (15 - 22MM)



## FEATURES

- Heavy duty basin wrench
- For fitting back nuts and union nuts of pillar and bath taps behind basins, sinks and baths.
- Jaws machined to fit standard back nuts
- Offset design for easy access behind baths and sinks

Product Code	Size	Order Qty	Box Qty	List Price
OX-T449022	15 - 22mm	1	6	

## TRADE ADJUSTABLE BASIN WRENCH



## FEATURES

- Adjustable wrench for taps and basins
- Forged jaw turns 180 degrees for more flexibility

Product Code	Size	Order Qty	Box Qty	List Price
OX-T449201	-	1	12	

## PRO ADJUSTABLE BASIN WRENCH



## FEATURES

- Telescopic basin nut wrench
- Reversible Jaw for easy access
- 4 adjustment sizes
- 10 to 32mm Jaw Capacity

Product Code	Size	Order Qty	Box Qty	List Price
OX-P448401	-	1	15	

## TRADE COMPRESSION FITTING SPANNER (24 &amp; 32MM)



## FEATURES

- For tightening & loosening 24 & 32mm compression fitting nuts
- High quality steel

Product Code	Size	Order Qty	Box Qty	List Price
OX-T448922	24 - 32mm	1	12	



## PRO MULTI ANGLE ALUMINIUM PIPE WRENCH

## FEATURES

- Fully adjustable jaw up to 53mm
- Lightweight aluminium handle for strain free all-day use
- 180° Quick action adjustable handle
- Heavy duty construction
- Perfect for use in restricted areas



Product Code	Size	Order Qty	Box Qty	List Price
OX-P560610	250mm / 10"	1	6	

## PRO MAX LEVERAGE PLUMBING GRIPS

## FEATURES

- Push button release for super fast and accurate adjustment
- Ultimate force distribution from jaws to handle providing incredible grip



Product Code	Size	Order Qty	Box Qty	List Price
OX-P562525	250mm / 10"	1	24	

## PRO WATERPUMP PLIERS

## FEATURES

- Adjustable width jaw for grasping & turning
- Tough chrome vanadium steel



Product Code	Size	Order Qty	Box Qty	List Price
OX-P325825	250mm / 10"	1	12	

## PRO AUTOMATIC WATERPUMP PLIERS

## FEATURES

- Automatic waterpump pliers for fast one hand size adjustment
- Tough chrome vanadium steel
- Double dipped handle for comfort



Product Code	Size	Order Qty	Box Qty	List Price
OX-P326010	250mm / 10"	1	10	
OX-P326012	300mm / 12"	1	6	





## TRADE IMMERSION SPANNER



## FEATURES

- Cranked head for easy access
- Firm non slip grip on immersion heater elements
- High quality steel

Product Code	Size	Order Qty	Box Qty	List Price
OX-T448801	-	1	6	

## PRO HEAVY DUTY IMMERSION SPANNER



## FEATURES

- Extra heavy duty immersion wrench
- Cranked head for easy access
- One piece casting for greater strength and power

Product Code	Size	Order Qty	Box Qty	List Price
OX-P449901	-	1	2	

## TRADE MANHOLE COVER KEYS



## FEATURES

- Lifting keys for the easy removal of manhole covers
- Heavy duty iron
- D shaped ends

Product Code	Size	Order Qty	Box Qty	List Price
OX-T449102	-	1	12	

## TRADE BRASS RADIATOR KEYS - 3 PACK



## FEATURES

- Fits most domestic radiators

Product Code	Size	Order Qty	Box Qty	List Price
OX-T449803	-	1	12	



## PRO POLYZIP™ PLASTIC PIPE CUTTER

## FEATURES

- Fast precision cutting
- Lightweight & easy to use
- Compatible with all popular plastic pipes
- Zero pipe deformation promotes easy insertion of pipe stiffeners
- Zero swarf for professional results on solvent weld & push fit systems

Product Code	Size	Order Qty	Box Qty	List Price
OX-P561915	15mm	1	64	
OX-P562022	22mm	1	64	
OX-P562135	35mm (1 1/4")	1	50	
OX-P562240	40mm (1 1/2")	1	50	
OX-P562242	42mm (1 1/2")	1	50	
OX-P562250	50mm (2")	1	36	
OX-P562255	55mm (2")	1	36	
OX-P562404	4 Pack (15, 22, 35 & 42mm)	1	1	
OX-P562701	Blades (3 Pack)	1	92	



Check it out on our YouTube Channel: OX Tools/POLYZIP



4 Pack  
available  
(15, 22, 35  
& 42mm)



Ribbed ergonomic design to enhance grip when twisting

Ideal for confined spaces



Replacement blade  
- 3 pack available



Directional rotation arrows demonstrating correct twisting direction

Razor sharp replaceable stainless blades cut clean and square through all types of popular plastic pipe

Comprehensive size range available

UK PATENTED TECHNOLOGY



## PRO COPPER PIPE CUTTER



## FEATURES

- Fast clean cutting, ideal for use in confined spaces

Product Code	Size	Order Qty	Box Qty	List Price
OX-P448515	15mm	1	12	
OX-P448522	22mm	1	12	
OX-P448528	28mm	1	12	

## Replacement cutting wheels - 2 Pack

Product Code	Size	Order Qty	Box Qty	List Price
OX-P440102	-	1	200	

## PRO RATCHET COPPER PIPE CUTTER



## FEATURES

- Internal cutting mechanism with ergonomic surround which fits comfortably in the hand

Product Code	Size	Order Qty	Box Qty	List Price
OX-P449615	15mm	1	12	
OX-P449622	22mm	1	12	

## Replacement cutting wheels - 2 Pack

Product Code	Size	Order Qty	Box Qty	List Price
OX-P440102	-	1	200	

## PRO ADJUSTABLE TUBE CUTTER



## FEATURES

- Heavy duty telescopic tube cutter
- Smooth and accurate telescopic adjustment
- Cuts tubes from 6 - 35mm
- Deburring attachment for removing swarf
- Cuts copper, brass, aluminium and thin walled steel tubes

Product Code	Size	Order Qty	Box Qty	List Price
OX-P448635	3 - 35mm	1	25	

## Replacement cutting wheels - 2 Pack

Product Code	Size	Order Qty	Box Qty	List Price
OX-P560302	-	1	200	



## PRO PVC PIPE CUTTER (16 - 42MM)

## FEATURES

- V Shape blade for immediate penetration.
- Exceptionally sharp stainless steel blade.
- Cuts through any MUPVC/PVC pipe effortlessly without kinking or shattering

Product Code	Size	Order Qty	Box Qty	List Price
OX-P449542	16 - 42mm	1	12	
OX-P449701	Replacement Blade	1	25	



## PRO OLIVE REMOVAL TOOL - 15 &amp; 22MM

## FEATURES

- Heavy duty olive removal tool
- Removes an olive from copper pipe without damaging the pipe
- Dipped handles for comfort and grip

Product Code	Size	Order Qty	Box Qty	List Price
OX-P440015	15mm	1	5	
OX-P440022	22mm	1	5	



## PRO HEX KEY SET - 9PC

## FEATURES


- Ball-end design aids access to bolts in hard to reach places
- Diamond tip to eliminate cam-out, protecting both the bolt and the hex key
- Ensuring longer life than standard hex keys
- Chrome Vanadium Steel Construction
- Chemically blackened finish to prevent rusting
- Contains 9 metric size Hex keys 1.5mm - 10mm

Product Code	Size	Order Qty	Box Qty	List Price
OX-P322409	(see above)	1	6	





## PRO PLUMBERS PROTECTIVE HEAT MAT



## FEATURES

- Resists temperatures up to 1000°C
- Sewn and loop stitched with wire reinforced kevlar flame proof thread for extra long life
- Fully flexible foil back allowing freedom of movement
- Asbestos Free

Product Code	Size	Order Qty	Box Qty	List Price
OX-P562901	300 x 210mm	1	30	

## PRO COMBINATION PLIERS – 180MM (7")



## FEATURES

- Used for gripping, twisting & cutting
- Induction hardened chrome steel
- Hardened edges

Product Code	Size	Order Qty	Box Qty	List Price
OX-P321318	180mm / 7"	1	12	

## PRO LONG NOSE PLIERS – 200MM (8")



## FEATURES

- Long nose design
- Used for grasping or bending & cutting
- Induction hardened chrome steel
- Hardened cutting edges

Product Code	Size	Order Qty	Box Qty	List Price
OX-P321620	200mm / 8"	1	12	

## PRO BENT LONG NOSE PLIERS – 200MM (8")



## FEATURES

- Induction hardened chrome steel
- Hardened edges

Product Code	Size	Order Qty	Box Qty	List Price
OX-P321720	200mm / 8"	1	12	



## PRO DIAGONAL CUTTING PLIERS – 160MM (6")

## FEATURES

- Used for cutting with pivot design
- Induction hardened chrome steel
- Hardened edges

Product Code	Size	Order Qty	Box Qty	List Price
OX-P321416	160mm / 6"	1	12	



## PRO WIRE STRIPPER PLIERS – 160MM (6")

## FEATURES

- Used for stripping up to 10 gauge wire
- Easily adjustable
- Induction hardened chrome steel
- Hardened edges

Product Code	Size	Order Qty	Box Qty	List Price
OX-P321516	160mm / 6"	1	12	



## PRO VDE COMBINATION PLIERS – 180MM (7")

## FEATURES

- Can be used safely when working on live electrical wires at voltage of up to 1000 volts AC
- Manufactured & tested to exacting European Standards

Product Code	Size	Order Qty	Box Qty	List Price
OX-P324320	180mm / 7"	1	12	



## PRO VDE LONG NOSE PLIERS – 200MM (8")

## FEATURES

- Can be used safely when working on live electrical wires at voltage of up to 1000 volts AC
- Manufactured & tested to exacting European Standards

Product Code	Size	Order Qty	Box Qty	List Price
OX-P323820	200mm / 8"	1	12	





## PRO VDE BENT LONG NOSE PLIERS – 200MM (8")



## FEATURES

- Can be used safely when working on live electrical wires at voltage of up to 1000 volts AC
- Manufactured & tested to exacting European Standards

Product Code	Size	Order Qty	Box Qty	List Price
OX-P323920	200mm / 8"	1	12	

## PRO VDE DIAGONAL CUTTING PLIERS – 160MM (6")



## FEATURES

- Can be used safely when working on live electrical wires at voltage of up to 1000 volts AC
- Manufactured & tested to exacting European Standards

Product Code	Size	Order Qty	Box Qty	List Price
OX-P324116	160mm / 6"	1	12	

## PRO VDE WIRE STRIPPER PLIERS – 160MM (6")



## FEATURES

- Can be used safely when working on live electrical wires at voltage of up to 1000 volts AC
- Manufactured & tested to exacting European Standards

Product Code	Size	Order Qty	Box Qty	List Price
OX-P324016	160mm / 6"	1	12	

## PRO VDE WATERPUMP PLIERS



## FEATURES

- Can be used safely when working on live electrical wires at voltage of up to 1000 volts AC
- Manufactured & tested to exacting European Standards

Product Code	Size	Order Qty	Box Qty	List Price
OX-P324224	250mm / 10"	1	12	

## TRADE SOLID FORGED SHOVEL RANGE

## FEATURES

- All steel construction for increased strength
- Smooth round wood handle for greater comfort
- 'Y' shape handle structure with optimised space to allow for the largest of hands
- Solid forged steel blade with tapered tip
- Powder coated finish to protect from rust
- Longer shovel shaft designed to maximise reach and increase leverage, also decreasing the risk of strain injury
- Heat treated blade for ultimate strength
- Robust lightweight design

Product Code	Type	Order Qty	Box Qty	List Price
OX-T280301	Taper Mouth	5	5	
OX-T280401	Trenching Shovel	5	5	
OX-T280701	Square Mouth	5	5	
OX-T280601	Draining Shovel	5	5	
OX-T280501	Cable Laying	5	5	
OX-T281101	Treaded Digging Shovel	5	5	



## TRADE SOLID FORGED 4 TINES FORK

## FEATURES

- Solid forged 4 tines fork
- All steel construction for increased strength
- Smooth round wood handle for greater comfort
- 'Y' shape handle structure with optimised space to allow for the largest of hands
- Powder coated finish to protect from rust
- Longer shovel shaft designed to maximise reach and increase leverage, also decreasing the risk of strain injury
- Robust lightweight design

Product Code	Size	Order Qty	Box Qty	List Price
OX-T281001	-	5	5	





## PRO INSULATED SHOVEL RANGE

### FEATURES

- Conforms to BS8020
- Extra wide D-Grip for greater comfort
- Solid forged steel head for strength and durability

Product Code	Type	Order Qty	Box Qty	List Price
OX-P283001	Taper Mouth	1	1	
OX-P283201	Trenching Shovel	1	1	
OX-P283101	Square Mouth	1	1	
OX-P283301	Cable Laying	1	1	

## PRO MINI ROUND POINT SHOVEL

### FEATURES

- Compact round point mini shovel, ideal for use in confined spaces
- Strong steel blade and lightweight fibreglass reinforced shaft
- Comfortable soft grip handle

Product Code	Size	Order Qty	Box Qty	List Price
OX-P283401	-	1	1	

## PRO MINI SQUARE MOUTH SHOVEL

### FEATURES

- Compact square mouth mini shovel, ideal for use in confined spaces
- Strong steel blade and lightweight fibreglass reinforced shaft
- Comfortable soft grip handle

Product Code	Size	Order Qty	Box Qty	List Price
OX-P283501	-	1	1	



## TRADE ULTRA TUFF XL WIPES

### FEATURES

- Heavy duty wipes ideal for cleaning mess and dirt
- Extra large wipes - 20% better value
- Contains added Aloe Vera to keep skin healthy
- Anti-bacterial - kills 99.99% of germs!
- Dispensed from a heavy-duty tube with click seal lid to keep the wipes from drying out
- Removes: Oil, Adhesive, Paint, Silicone, Glue, Sealant, Grime, PU Foam, Plaster & Cement

Product Code	Size	Order Qty	Box Qty	List Price
OX-T350581	80 pack	12	12	



## PRO SEALANT GUN – 400ML

### FEATURES

- Professional sealant gun with highly durable construction
- Free flowing action and quick release trigger
- Built in nozzle cleaning pin
- Tempered steel rod and plate

Product Code	Size	Order Qty	Box Qty	List Price
OX-P041840	400ML	1	24	



## PRO HEAVY DUTY SEALANT GUN – 400ML

### FEATURES

- Heavy duty professional sealant gun, built for ultimate power and durability
- High thrust trigger action with adjustable screw
- Welded and rotating barrel accepts up to 400ml cartridges. Barrel allows rotation to ensure long continuous clean beads with minimal effort
- Ergonomically designed dipped trigger handle, support the hands when applying pressure
- Ideal for outdoor working environments
- Mechanism allows higher force application - ideal for today's 'heavy duty' silicones and sealants
- Fully welded barrel

SCAN THE QR TO LEARN MORE



Product Code	Size	Order Qty	Box Qty	List Price
OX-P044440	400ML	1	12	





## PRO RODLESS SEALANT GUN – 400ML

### FEATURES

- Internal push rod design for optimised access in tight or hard to reach spaces such as behind sinks, internal cabinets or shower cubicles
- Lightweight reinforced Polycarbon housing for improved ergonomics
- Ergonomically designed handle for comfort during use
- Riveted and reinforced carriage
- Suitable for all cartridges up to 400ml
- Ideal for use with latex & silicone caulks
- Belt hook for easy clip to tool belts

Product Code	Size	Order Qty	Box Qty	List Price
OX-P044914	400ml	1	12	



## PRO DUAL THRUST SEALANT GUN

### FEATURES

- Patented toggle switch to easily change thrust & stroke
- Switchable ratio (12:1 / 24:1) function to enable easy application of all viscosity adhesives and sealants
- Patented 360° Steel riveted rotating carriage
- Twin heat-treated steel push plates for greater strength
- Impact-resistant Nylon/Fiberglass handle & trigger with TPE rubber over mold
- Smooth thrust action
- Rigid polymer handle for strength and durability
- 1.5mm steel push piston.
- For dispensing up to 400ml cartridges
- Steel pin on underside for puncturing dried caulk

Product Code	Size	Order Qty	Box Qty	List Price
OX-P045440	400ml	1	10	



## PRO DUAL THRUST SAUSAGE CAULKING GUN - 600ML CAPACITY

### FEATURES

- Ideal for re-pointing and filling applications
- Patented 360° rotating aluminium barrel
- Easily dismantled for cleaning
- Cartridge capacity 600ml
- Ergonomically designed impact-resistant polymer handle & trigger
- Patented quick fit tool-less plunger system
- Quick switch dual thrust ratio 12:1 & 24:1
- Suitable for low to high viscosity materials
- Supplied with standard & hi flow nozzles



Product Code	Size	Order Qty	Box Qty	List Price
OX-P045560	600ml	1	10	

## PRO SAUSAGE CAULKING GUN - 600ML CAPACITY

### FEATURES

- Ideal for re-pointing and filling applications
- Patented 360° rotating aluminium barrel
- Easily dismantled for cleaning
- Cartridge capacity 600ml
- Die cast metal handle
- Plunge force 200kg | 2.0kN
- Steel pin on handle for puncturing dried caulk
- Enclosed aluminium anodized barrel
- Suitable for low to medium viscosity materials
- Supplied with standard & hi flow nozzles



Product Code	Size	Order Qty	Box Qty	List Price
OX-P040215	600ml	1	10	



## PRO OXGRIP – 3 IN 1! SEALANT, ADHESIVE & GAP FILLER

### FEATURES

- 3 in 1 grab adhesive, sealant and gap filler
- 4 times stronger than standard construction adhesive
- Incredible strength
- Super fast bond
- Wet or dry application – bonds in all weather
- Proven formula for high end, high demand, high durability applications
- Can be painted once dry to colour of choice
- Wet or dry application – bonds in all weather
- UV durability – perfect for UPVC and outdoor applications
- Perfect for applications that require some flexibility
- Anti-fungal and has excellent resistance to chemicals
- Low odour, anti pick and anti rodent
- Ideal for use in environments with high salt content such as coastal locations
- Applications include but not limited to: fixing ceramics, repairing patio slabs, ridge tile repairs, shower tray installation and many more
- Made in the UK



Product Code	Size	Order Qty	Box Qty	List Price
OX-P590129	290ml	1	12	



## PRO ONE SHOT OIL – 100ML

### FEATURES

- Semi synthetic two-stroke oil one shot
- This will meet the lubrication requirements of all modern static two-stroke engines
- Attractive display box packaging to hold 25 pcs

25  
BOX



Product Code	Size	Order Qty	Box Qty	List Price
OX-P189301	100ML	25	25	

## TRADE PERMANENT LINE MARKER SPRAY

### FEATURES

- Suitable for all road marking systems
- High colour pigment & fast drying



6  
BOX

Product Code	Description	Order Qty	Box Qty	List Price
OX-T022601	YELLOW	6	6	
OX-T022602	BLUE	6	6	
OX-T022603	WHITE	6	6	
OX-T022604	RED	6	6	
OX-T022605	ORANGE	6	6	
OX-T022606	GREEN	6	6	
OX-T022607	BLACK	6	6	

## PRO TOUGH BUCKET – 15L

### FEATURES

- Extremely durable design
- Manufactured with a high rubber content which allows the material to bend and flex rather than split and crack
- The toughest bucket you'll ever use
- 15L Capacity
- Easy to clean, maintain and keep hygienic



10  
BOX

Product Code	Size	Order Qty	Box Qty	List Price
OX-P112315	15L	10	10	





## TRADE PUMP ACTION PRESSURE SPRAYER – 5L



### FEATURES

- Easy to use pump handle for lifting and pressurisation
- Adjustable wand nozzle and adjustable trigger
- Adjustable shoulder strap
- Ideal for watering or using fertilizers, cleaning products such as detergents dissolved in water
- Wide screw thread opening for quick refilling

Product Code	Size	Order Qty	Box Qty	List Price
OX-T045105	5L	1		



## PRO HEAVY DUTY WATER BOTTLE - 15L

### FEATURES

- Very heavy duty water supply tank
- Portable water tank for sawing and drilling equipment
- Heavy duty carry handle
- 15 litre capacity

Product Code	Size	Order Qty	Box Qty	List Price
OX15L	15L	1	6	



## PRO HEAVY DUTY WATER BOTTLE - 10L

### FEATURES

- Very heavy duty water supply tank
- Heavy duty carry handle
- Robust polythene casing
- Protected hose connection, prevents damage or breakage during use
- 4M transparent hose for extra working length
- Strong and stable base protects the bottom of the bottle and gives extra stability in use
- Portable water tank for sawing and drilling equipment

Product Code	Size	Order Qty	Box Qty	List Price
OX-P10L	10L	1	1	



## TRADE BLACK BUCKET – 15L

### FEATURES

- 15 Litre – 3 Gallon capacity
- Black plastic bucket

Product Code	Size	Order Qty	Box Qty	List Price
OX-T110715	15L	10	10	



## PRO BUCKET – 15L

### FEATURES

- Extremely hardwearing
- 15L Capacity

Product Code	Size	Order Qty	Box Qty	List Price
OX-P110515	15L	10	10	



## PRO HEAVY DUTY FLEXI TUB – 20L, 42L, 73L

### FEATURES

- Polyethylene flex tub

Product Code	Size	Order Qty	Box Qty	List Price
OX-P110620	20L	10	10	
OX-P110642	42L	10	10	
OX-P110673	73L	5	5	



## PRO PLASTERERS BUCKET – 5 GALLON

### FEATURES

- 5 Gallon / 25 Litre capacity
- Heavy duty bucket which can be used for mixing plaster
- Strong wire handle and plastic carry grip



Product Code	Size	Order Qty	Box Qty	List Price
OX-P110825	5G / 25L	5	5	





## PRO TOOLBOX

## FEATURES

- Strong lid made from grade one polypropylene
- 3 Translucent lid compartments
- Easy grip handle
- Ribbed areas for extra strength and durability
- Robust lid with 3 compartments and 2 removable dividers
- Water resistant
- Hinged lid
- Removable tote tool tray
- Lockable
- For professional and DIY users
- Tools not included

Product Code	Size	Order Qty	Box Qty	List Price
OX-P266019	490 x 250 x 250mm	1	2	

## PRO INTERLOCKING DRAWER ORGANISER

## FEATURES

- Made from grade one polypropylene plastic
- Secure plastic latches
- Patented interlocking system
- See through cover for easier usage
- 12 Removable dividers
- 20 Compartments
- Hinged lid
- Heavy duty bin organiser
- Water resistant
- For professional and DIY users

Product Code	Size	Order Qty	Box Qty	List Price
OX-P266114	370 x 280 x 60mm	1	6	



## PRO ROUND TOP TOOL BAG

## FEATURES

- Extremely tough construction for ultimate durability
- Injected polypropylene hard base
- Strong rubber grip handle and padded shoulder strap
- Waterproof base moulded to fabric

Product Code	Size	Order Qty	Box Qty	List Price
OX-P261747	470 x 280 x 350mm	1	2	



## PRO SUPER OPEN MOUTH TOOL BAG

## FEATURES

- Extremely tough construction for ultimate durability
- Injected polypropylene hard base
- Strong rubber grip handle and padded shoulder strap
- Waterproof base moulded to fabric

Product Code	Size	Order Qty	Box Qty	List Price
OX-P261645	450 x 310 x 260mm	1	2	



## PRO OPEN TOOL TOTE BAG

## FEATURES

- Extremely tough construction for ultimate durability
- Injected polypropylene hard base
- Heavy-duty steel handle with rubber grip
- Waterproof base moulded to fabric

Product Code	Size	Order Qty	Box Qty	List Price
OX-P262618	470 x 250 x 360mm	1	4	







## PRO OIL TANNED LEATHER 3" BELT



- High quality top grain oil tanned saddle leather
- Perimeter stitching reinforcement to increase tear resistance and withstand tough conditions on site
- Strong durable double notch steel clasp
- Antique, bronze finish hardware
- For use in conjunction with the OX Pro leather tool pouches

Product Code	Size	Order Qty	Box Qty	List Price
OX-P263303	29" - 46" Waist	1	3	

## PRO OIL TANNED LEATHER 4 PIECE CONSTRUCTION RIG



- Perimeter stitched reinforcement to increase tear resistance and withstand vigorous conditions on site
- Comprehensive layout of 22 storage pockets
- Belt tunnel reinforced for ultimate strength
- Built in tape measure clip
- Heavy duty rivet reinforcement

Product Code	Size	Order Qty	Box Qty	List Price
OX-P263604	29" - 46" Waist	1	3	

## PRO OIL TANNED LEATHER 10 POCKET TOOL POUCH



- 10 Tool holders and pouches
- Belt tunnel double layer reinforcement for tear resistance
- Top grain, oil tanned saddle leather
- Steel hammer loop
- Heavy duty rivet reinforcement
- Please note toolbelt OX-P263303 not included

Product Code	Size	Order Qty	Box Qty	List Price
OX-P263701	-	1	3	

## PRO OIL TANNED LEATHER DRYWALLERS TOOL POUCH



- 12 Tool holders and pockets
- Top grain oil tanned saddle leather
- Multi function leather loop for hammer, hatchet, or rasp
- Built in tape measure clip
- Heavy duty rivet reinforcement
- Please note toolbelt OX-P263303 not included

Product Code	Size	Order Qty	Box Qty	List Price
OX-P263801	-	1	3	

## PIQUÉ POLO SHIRT SIZES S - XXL

## FEATURES

- Durable & breathable fabric construction piqué polo
- 2x2 ribbed tipped collar and cuffs
- Side vents for ease of movement
- Embroidered OX logo
- 200gsm 60% Cotton 40% Polyester

Product Code	Size	List Price
OX-W553002	Small	
OX-W553003	Medium	
OX-W553004	Large	
OX-W553005	X Large	
OX-W553006	XX Large	



## CREW NECK T-SHIRT SIZES S - XXL

## FEATURES

- Specially designed for the ultimate comfort fit
- Twin needle hem and cuffs
- 1x1 Ribbed collar with grosgrain bound back neck
- OX Tools branded badge at sleeve
- 200gsm 100% Cotton

Product Code	Size	List Price
OX-W550502	Small	
OX-W550503	Medium	
OX-W550504	Large	
OX-W550505	X Large	
OX-W550506	XX Large	







## TECH CREW T-SHIRT SIZES S - XXL

## FEATURES

- Stretch fabric with wicking qualities
- Mesh centre back panel for breathability
- Raglan armhole for greater fit and freedom of movement
- Flatlocked seams for comfort and fit
- Reflective chest print for safety
- 190-200GSM – 92% Polyester, 8% Elastane

Product Code	Size	List Price
OX-W552002	Small / Grey	
OX-W552003	Medium / Grey	
OX-W552004	Large / Grey	
OX-W552005	X Large / Grey	
OX-W552006	XX Large / Grey	
OX-W551902	Small / Navy	
OX-W551903	Medium / Navy	
OX-W551904	Large / Navy	
OX-W551905	X Large / Navy	
OX-W551906	XX Large / Navy	

## TECH CREW POLO SIZES S - XXL

## FEATURES

- Ribbed collar and cuffs for secure fit
- Stretch fabric with wicking qualities for comfort
- Side vents for ease of movement
- OX branded buttons and badge
- 100% polyester

Product Code	Size	List Price
OX-W552302	Small	
OX-W552303	Medium	
OX-W552304	Large	
OX-W552305	X Large	
OX-W552306	XX Large	



## HOODIE SIZES S - XXL

## FEATURES

- Faux fur lined hood for extra warmth & protection
- Elasticated cuffs with thumbhole design
- Grosgrain drawcord pullers
- YKK zip for quality and durability
- Raglan armhole for maximum fit and comfort
- Breathable fabric with heat retention properties
- Heavyweight – brushed back fleece for comfort and warmth
- 300gsm 80% Cotton 20% Polyester Mix

Product Code	Size	List Price
OX-W550402	Small	
OX-W550403	Medium	
OX-W550404	Large	
OX-W550405	X Large	
OX-W550406	XX Large	

## ZIP THROUGH HOODIE SIZES S - XXL

## FEATURES

- Faux fur lined hood for extra warmth and protection
- YKK zipped pockets for security
- Grosgrain drawcord puller
- OX branded zip pullers for ease of use
- Elasticated cuffs with thumb grips
- 320gsm 80% Cotton 20% Polyester Mix

Product Code	Size	List Price
OX-W552902	Small	
OX-W552903	Medium	
OX-W552904	Large	
OX-W552905	X Large	
OX-W552906	XX Large	



## CREW NECK SWEATSHIRT SIZES S - XXL



## FEATURES

- Brushed back fleece for extra warmth
- Fabric elbow patches for added protection
- Reflective chest print.
- Telephone pocket with zip
- 2x2 Ribbed collar/cuffs and hem for improved fit
- 320gsm 80% Cotton 20% Polyester Mix

Product Code	Size	List Price
OX-W552802	Small	
OX-W552803	Medium	
OX-W552804	Large	
OX-W552805	X Large	
OX-W552806	XX Large	

## TECH HOODIE SIZES S - XXL

## FEATURES

- 2 Tone technical interlock workwear hoodie
- Bonded chest pocket
- Ribbed cuffs and hem
- OX Tools branded pullers
- OX Tools branded drawcord
- 310gsm 71% Cotton 22% Polyester 7% Elastane




Product Code	Size	List Price
OX-W551802	Small	
OX-W551803	Medium	
OX-W551804	Large	
OX-W551805	X Large	
OX-W551806	XX Large	



## TECH LIGHTWEIGHT FLEECE SIZES S - XXL

## FEATURES

- Lightweight versatile mid layer fleece
- Ultra useful zipped utility pocket on sleeve
- Circle back fleece fabric for breathability and warmth
- Designed for the ultimate comfort fit
- High quality YKK zips
- Elasticated cuffs with thumb grips
- OX branded pullers
- 94% Polyester, 6% Elastane



Product Code	Size	List Price
OX-W553602	Small	
OX-W553603	Medium	
OX-W553604	Large	
OX-W553605	X Large	
OX-W553606	XX Large	

THERMAL  
QUALITIESYKK  
ZIPS




## PACKABLE LIGHTWEIGHT JACKET SIZES S - XXL



### FEATURES

- Lightweight water resistant jacket with breathable properties
- Sealed internal seams with Airtex lining
- Integral hood folds away into the collar when not in use
- Packs conveniently into an integral internal storage bag located in the pocket
- 5 storage pockets for storage of small items such as wallets and keys
- YKK zips for quality and durability
- Velcro cuffs for a tight comfort fit
- Raglan sleeve design for ease of movement
- Reflective OX branded emblem on chest
- Bonded utility pocket on sleeve
- OX branded zip pullers
- 109GSM - 100% Polyester



Product Code	Size	List Price
OX-W553702	Small	
OX-W553703	Medium	
OX-W553704	Large	
OX-W553705	X Large	
OX-W553706	XX Large	



BREATHABLE



WATER  
RESISTANT



## SOFTSHELL JACKET SIZES S - XXL

### FEATURES

- 3 Layer fabric to keep you comfortable in warm and cool conditions
- OX branded zip pullers for ease of use
- Microfleece backed softshell fabrication
- Easy access chest pocket
- 94% Polyester 6% Elastane for increased comfort fit



Product Code	Size	List Price
OX-W550102	Small	
OX-W550103	Medium	
OX-W550104	Large	
OX-W550105	X Large	
OX-W550106	XX Large	



WATER  
RESISTANT



THERMAL  
QUALITIES



## RIBBED GILET SIZES S - XXL



## FEATURES

- Specially designed for the ultimate comfort fit
- Water resistant material providing protection against the elements
- Ribbed panels - for body heat retention
- OX branded zip pullers for ease of use
- Headphone eyelet on internal pocket
- 100% Polyamide body
- 100% Polyester fill for extra warmth



OX branded  
zip pullers for  
ease of use

Product Code	Size	List Price
OX-W550302	Small	
OX-W550303	Medium	
OX-W550304	Large	
OX-W550305	X Large	
OX-W550306	XX Large	

## RIBBED JACKET SIZES S - XXL



## FEATURES

- Specially designed for the ultimate comfort fit
- Water resistant material providing protection against the elements
- Raglan armhole for maximum fit and comfort
- Ribbed panels - for body heat retention
- 100% Polyamide body
- 100% Polyester fill for extra warmth



OX branded  
zip pullers for  
ease of use

Product Code	Size	List Price
OX-W550202	Small	
OX-W550203	Medium	
OX-W550204	Large	
OX-W550205	X Large	
OX-W550206	XX Large	



## RIPSTOP TROUSERS SIZES 30 - 38"

## FEATURES

- Reinforced ripstop anti-tear/anti-rip fabric
- Extra bartacks for strength and durability
- Advanced pocket formation for secure & comfortable tool storage
- Super-lightweight ultra-durable trousers
- Trade foam knee pad available - not included
- 65% Ripstop fabric, 35% Polyester, Cotton 220GSM

Product Code	Size	List Price
OX-W551130	30" / Graphite	
OX-W551132	32" / Graphite	
OX-W551134	34" / Graphite	
OX-W551136	36" / Graphite	
OX-W551138	38" / Graphite	



## RIPSTOP SHORTS SIZES 30 - 38"

## FEATURES

- Reinforced ripstop anti-tear/anti-rip fabric
- Super-lightweight ultra-durable shorts
- 65% Ripstop fabric, 35% Polyester, Cotton 195GSM

Product Code	Size	List Price
OX-W551332	32" / Graphite	
OX-W551334	34" / Graphite	
OX-W551336	36" / Graphite	
OX-W551338	38" / Graphite	



## TRADE FOAM POCKET KNEE PAD

## FEATURES

- Reinforced EVA foam
- Lightweight and hardwearing
- Pocket knee pad for workwear trousers

Product Code	Size	Order Qty	Box Qty	List Price
OX-W551601	One size fits all	1	50	







## MULTI POCKET TRADE TROUSERS SIZES 32 - 40"

## FEATURES

- Slim fit durable design
- 6 handy storage pockets suitable for storage of small items such as mobile phones/keys
- Mechanical stretch for flexibility and comfort
- Bar tacked reinforcement on stress areas for ultimate durability
- Internal bottom loading knee pad pockets suitable for use with OX trade foam kneepad. (Knee pad not included)
- 245GSM - 65% Polyester, 35% Cotton



Product Code	Size	List Price
OX-W556932	32"	
OX-W556934	34"	
OX-W556936	36"	
OX-W556938	38"	
OX-W556940	40"	

## MULTI POCKET TRADE SHORTS SIZES 32 - 40"

## FEATURES

- Slim fit durable design
- 6 handy storage pockets suitable for storage of small items such as mobile phones/keys
- Mechanical stretch for flexibility and comfort
- Bar tacked reinforcement on stress areas for ultimate durability
- 245GSM - 65% Polyester, 35% Cotton



Product Code	Size	List Price
OX-W556832	32"	
OX-W556834	34"	
OX-W556836	36"	
OX-W556838	38"	
OX-W556840	40"	



## JOGGER SHORTS SIZES 32 - 40"

## FEATURES

- Snap fastening mobile phone back pocket
- Brushed back fleece for extra comfort and warmth
- OX branded elasticated waistband for extra comfortable fit
- OX branded heavyweight cotton drawcords
- Reflective OX head logo on thigh
- 65% Polyester, 35% Cotton



Two front zip pockets for securely storage



COMFORT FIT



THERMAL QUALITIES



## JOGGERS SIZES 32 - 40"



### FEATURES

- Heavy duty brushed back fleece fabric for warmth and comfort
- Panelled crotch for the ultimate comfort fit & durability
- OX branded zip pullers for ease of use
- Black - 300GSM - 60% Cotton, 40% Polyester
- Grey - 300GSM - 75% Cotton, 20% Polyester, 5% Viscose



2x2 Ribbed waistband and cuffs for secure fit

Product Code	Size	List Price
OX-W550703	32" / Grey	
OX-W550704	34" / Grey	
OX-W550705	36" / Grey	
OX-W550706	38" / Grey	
OX-W550707	40" / Grey	
OX-W550803	32" / Black	
OX-W550804	34" / Black	
OX-W550805	36" / Black	
OX-W550806	38" / Black	
OX-W550807	40" / Black	



COMFORT FIT



THERMAL QUALITIES



## WATERPROOF RAINSUIT

- Durable PVC jacket & over trousers
- Zip fastened jacket, concealed hood
- Elasticated inner cuffs
- Front pockets
- Ventilated back
- Trousers with elasticated waist & stud adjustable ankle width
- Fully taped seams



Product Code	Size	Order Qty	Box Qty	List Price
OX-S249702	Black - Medium	1	20	
OX-S249703	Black - Large	1	20	
OX-S249704	Black - X Large	1	20	
OX-S249705	Black - XX Large	1	20	
OX-S249802	Yellow - Medium	1	20	
OX-S249803	Yellow - Large	1	20	
OX-S249804	Yellow - X Large	1	20	
OX-S249805	Yellow - XX Large	1	20	

## WINTER KNITTED BEANIE

- Chunky rib knitted outer fabric
- Reflective OX branded badge
- Rubber OX badge on reverse
- One size fits all
- 100% acrylic



Product Code	Colour	List Price
OX-W551701	Black	
OX-W551702	Cyan	

## HEAVY DUTY WORK SOCKS

- Specifically designed and recommended for STS steel toe cap safety shoes and boots, this pair of men's socks has a hard wearing reinforced heel and toe for durability
- The triple padded toe protects from chafing and blistering by steel toe caps
- With a fully cushioned foot, the cushioned sole of these chunky socks provide comfort against repetitive impact

Product Code	Size	Order Qty	Box Qty	List Price
OX-W551001	UK 6-11 (EU 39-45)	1	6	





## PRO ALCOHOL HAND SANITISER GEL



## FEATURES

- Kills 99.9% of bacteria
- Fast drying
- No water required
- Does not leave sticky residue
- Available in easy to use squeeze tubes and pump top

Product Code	Size	Order Qty	Box Qty	List Price
OX-HSGPT-500	500ml	1	12	

## AEROSOL SANITISER DISINFECTANT SPRAY



## FEATURES

- Kills 99.9% of bacteria
- Alcohol free which ensures skin does not dry out or become irritated and avoids the risk of flammability.
- Non staining
- Non corrosive
- 500ml Spray bottle
- Easy to use spray nozzle

Product Code	Size	Order Qty	Box Qty	List Price
OX-SDS-500	500ml	1	12	

## STANDARD SAFETY HELMET

## FEATURES

- Lightweight helmet designed for general use
- Shell is manufactured from UV stabilized high density Polyethylene
- 6 point adjustable low density Polyethylene harness
- Fully adjustable slip ratchet headband
- Conforms to EN397

Product Code	Colour	Order Qty	Box Qty	List Price
OX-S245001	White	1	40	
OX-S245002	Yellow	1	40	
OX-S245003	Blue	1	40	



## PREMIUM SAFETY HELMET

## FEATURES

- Tough and functional helmet
- Shell is manufactured from UV stabilized high density Polyethylene
- 6 point Terylene harness with slip ratchet adjustment system
- Conforms to EN397





## FOLDING COLLAPSIBLE EAR DEFENDERS



### FEATURES

- Lightweight, foldable general purpose ear defender
- Large sound absorbing acoustic foam filled cups
- Adjustable cup height is designed for greater versatility
- Conforms to EN352-1:2002



SNR 29dB

Product Code	Size	Order Qty	Box Qty	List Price
OX-S248930	One size fits all	1	40	

## STANDARD EAR DEFENDERS



### FEATURES

- Lightweight and robust protection
- Multiple position headband
- Large sound absorbing acoustic foam filled cups
- Non magnetic
- Can be worn overhead, behind neck or under chin
- Conforms to EN352-1:2002



SNR 25dB

Product Code	Size	Order Qty	Box Qty	List Price
OX-S241801	One size fits all	1	12	

## PREMIUM EAR DEFENDERS



### FEATURES

- Both durable and ultra lightweight
- Broad foam cushions
- High impact ABS cups (filled with absorbing foam)
- Padded headband
- Non magnetic
- Can be worn overhead, behind neck or under chin
- Conforms to EN352-1:2002



SNR 25dB

Product Code	Size	Order Qty	Box Qty	List Price
OX-S241901	One size fits all	1	20	



## DISPOSABLE EAR PLUGS

### FEATURES

- Soft energy absorbing foam which compresses and then expands for a perfect fit in the ear canal
- Easy insertion and removal – tapered to fit
- Reduces sound to the ear drum whilst maintaining aural contact
- SNR 34dB
- Conforms to EN352-2:2002



Product Code	Size	Order Qty	Box Qty	List Price
OX-S246802	One size fits all	1	10 (200 per box)	



SNR 34dB

## DISPOSABLE CORDED EAR PLUGS

### FEATURES

- Soft energy absorbing foam which compresses and then expands for a perfect fit in the ear canal
- Easy insertion and removal – tapered to fit
- Reduces sound to the ear drum whilst maintaining aural contact
- Corded to avoid dropping or loss and are visible when in use
- SNR 34dB
- Conforms to EN352-2:2002



Product Code	Size	Order Qty	Box Qty	List Price
OX-S246902	One size fits all	1	10 (200 per box)	



SNR 34dB



## DIRECT VENT SAFETY GOGGLES



## FEATURES

- Soft vinyl flanges around the goggles to ensure comfort and conformity to facial contours
- Tough polycarbonate clear UV resistant lens
- Top and side perforations allow optimum air flow
- Direct ventilation through the frame
- Compact lightweight construction
- Can be worn over prescription spectacles
- Conforms to EN166:1B

Product Code	Size	Order Qty	Box Qty	List Price
OX-S244601	One size fits all	1	200	

## INDIRECT VENT SAFETY GOGGLES



## FEATURES

- Provides protection from liquid droplets or splashes, and large dust particles
- Tough polycarbonate clear UV resistant lens
- Indirect vents minimise lens misting
- Soft vinyl flanges around the head strap ensure comfort and conformity to facial contours
- Elasticated head strap
- Conforms to EN166:1B.3.4.9



Prevents against liquid splash

Product Code	Size	Order Qty	Box Qty	List Price
OX-S244701	One size fits all	1	200	

## DELUXE ANTI-MIST SAFETY GOGGLES



## FEATURES

- Wide angle for improved visibility
- Polycarbonate anti-mist lens
- Wide elastic headband for added comfort
- Integral moulded vent for protection against dust, liquid splashes and molten metal.
- Conforms to EN 166:1B.3.4.9

Product Code	Size	Order Qty	Box Qty	List Price
OX-S245201	One size fits all	1	10	



High quality



## VISITOR SAFETY SPECTACLES

## FEATURES

- A wrap around shield for protection against low energy and high speed impacts
- Wrap around panoramic vision
- Comfortable wide frame and integral brow shield gives improved all round protection
- Ultra light weight these spectacles can be worn over most prescription glasses
- Clear polycarbonate UV resistant construction
- Conforms to EN166:1F



Product Code	Size	Order Qty	Box Qty	List Price
OX-S248301	One size fits all	1	100	

## PROFESSIONAL WRAP AROUND SAFETY GLASSES

## FEATURES

- Soft flexible nose pad and rubber temple tips ensure comfortable fit and reduced slippage
- Dual cured lens provide uncompromised wide vision and protection
- Blocks 99.9% of UV radiation
- Conforms to EN166:1F



Product Code	Colour	Order Qty	Box Qty	List Price
OX-S248101	Clear	10	200	
OX-S248102	Smoked	10	200	



High quality

## SAFETY GLASSES

## FEATURES

- Sleek styling and lightweight design
- Padded temples ensure comfortable wear
- Polycarbonate lenses provide protection from impact and block harmful UV rays
- Conforms to EN166:1F
- Available with clear or smoked lenses



Product Code	Colour	Order Qty	Box Qty	List Price
OX-S241701	Clear	12	300	
OX-S241702	Smoked	12	300	





## POLYCARBONATE FACE SHIELD



## FEATURES

- A good all round lightweight brow guard with a polycarbonate face shield
- Provides unrestricted working vision and protection against medium energy flying particles and liquid splashes
- Adjustable head harness ensures comfortable fit and greater versatility
- Wheel ratchet adjustment for ease of use
- Size universal
- Conforms to EN166 3B, EN166 1B

Product Code	Size	Order Qty	Box Qty	List Price
OX-S248701	One size fits all	1	40	

## TWIN HALF MASK RESPIRATOR



## FEATURES

- A general purpose half mask offering maximum protection and comfort
- Extra wide sealing surface to give unparalleled comfort and fit
- Low resistance exhalation valve
- Wide adjustable elastic strap for a perfect fit
- Low profile angular filter design for minimum visual impairment
- Maintenance free semi disposable mask supplied complete with filter cartridges
- There is no need to keep COSHH records when using this mask
- The mask can be used until the filters expire or up to 28 days whichever occurs first
- Manufactured from hypo-allergenic, odour free, medical grade PVC
- Conforms to EN405

Product Code	Size	Order Qty	Box Qty	List Price
OX-S247801	One size fits all	1	10	



## S450 HALF MASK RESPIRATOR

## FEATURES

- Professional twin cartridge half mask
- Unique low resistance exhalation valve for easy breathing
- Durable thermoplastic rubber mask for superior fit to most face shapes for extra comfort
- 4 Point suspension harness with quick release buckles
- Reflective stripes on harness for increased visibility in low light environments
- Conforms to EN140:1998
- Replacement cartridges available to be purchased separately

Product Code	Size	Order Qty	Box Qty	List Price
OX-S481901	One size fits all	1	10	



## TWIN FILTER CARTRIDGES - P2, P3, ABEK1

## FEATURES

- 2 Packs of replaceable cartridges for the OX S450 Half Mask
- P2 Dust Cartridges, P3 Dust Cartridges and ABEK1 Gas & Vapour cartridges

Product Code	Type	Order Qty	Box Qty	List Price
OX-S482002	P2 Filter	1	10	
OX-S482103	P3 Filter	1	10	
OX-S483201	ABEK1 Filter	1	10	



P2 Filter

P3 Filter

ABEK1 Filter

	P2	P3	ABEK1
	PARTICULATE PROTECTION ONLY		GAS & VAPOUR PROTECTION ONLY
APPLICATIONS	Medium Efficiency Dust	High Efficiency Dust	Low Capacity Gas/Vapour
COMPRESSIVE AIR			
Silica		✓	
Concrete & Stone Cutting		✓	
Plaster		✓	
RESINS			✓
Welding (Fumes & Lead)	✓	✓	
WOODS			
Woods Hard		✓	
Woods Soft	✓	✓	
HAZARDOUS			
Asbestos Removal		✓	
Fibres & Fibre Glass	✓	✓	
PAINTS & SOLVENTS			
Water Based	✓	✓	
Brush - Solvent Based			✓
Manual Prep	✓	✓	
Powered Prep	✓	✓	
Chemical Paint Stripping			✓
White Spirit			✓
HAZARDOUS			
Chlorine			✓
Orthophosphate (Weed Killer)		✓	
Brick Acid			✓

\*Wel (Workplace exposure Level)  
- This table is for guidance purposes only.  
A proper risk assessment by qualified personnel should be carried out before selecting an appropriate filter cartridge.





Mask type	Filtration Efficiency	Brick Dust	Concrete	Ferrous Metal Fumes	Fibre Glass	Lead Fumes	MDF Dust	Mineral Fibres	Plaster	Rockwool	Stone	Silica	Softwood Dust	Hardwood Dust
FFP2	92%	✓	✓	✓	✗	✗	✓	✗	✓	✓	✓	✗	✗	✓
FFP2V	92%	✓	✓	✓	✗	✗	✓	✗	✓	✓	✓	✗	✗	✓
FFP3V	98%	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

## S211 FFP2 NR MOULDED CUP RESPIRATOR



## FEATURES

- Large cup shape design for comfort fit
- Soft latex straps to minimise irritation
- Adjustable nose bridge with internal nose pad to relieve pressure
- Conforms to EN149:2001 + A1:2009
- Assigned Protection factor of 10



NEW 3 BAG PACK

Product Code	Pack Qty	Order Qty	Box Qty	List Price
OX-S486703	3	1	10	

## S212 FFP2V NR MOULDED CUP RESPIRATOR



## FEATURES

- Large cup shape design for comfort fit
- Soft latex straps to minimise irritation
- Adjustable nose bridge with internal nose pad to relieve pressure
- One way exhalation valve helps minimise moisture and heat build up
- Conforms to EN149:2001 + A1:2009
- Assigned Protection Factor of 10



Product Code	Pack Qty	Order Qty	Box Qty	List Price
OX-S488201	1	1	10	



## K312 FFP3V MOULDED CUP RESPIRATOR

## FEATURES

- Soft edges for comfort fit with minimum leakage
- FFP3 Valve & latex free rubber head straps
- Adjustable nose clip and soft foam nosepiece
- Document of Conformity Available

Product Code	Pack Qty	Order Qty	Box Qty	List Price
OX-S487701	1	1	5	





## TYPE IIR FACE MASK



- Splash resistant protective layer to provide a barrier against fluids
- High bacterial filtration efficiency (BFE) > 98%
- Elastic ear loops allow universal size to fit all face shapes and sizes
- Dimensions : Length - 175 +/- 5 mm, Width (pleated) 90 +/- 5 mm, Width (Total) 170 +/- 5 mm
- Material : 65% Spun bonded non-woven, 35% Melt-blown non-woven, Latex-free, Fibreglass-free
- Product classification:  
Medical device acc. to MDD 93/42/ EEC
- Applied standards: EN 14683:2019, CE class 1
- 3 Year shelf life
- Document Of Conformity and CE Certification available

Product Code	Pack Qty	Order Qty	Box Qty	List Price
OX-TYPEIIR/10	10	1	60	

## Hand Protection



<div> Abrasion    Cut    Tear    Puncture    Cutting</div>		Abrasion Resistance					Cut Resistance					Tear Resistance					Puncture Resistance					Cutting Resistance (TDM)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
--	--	---------------------	--	--	--	--	----------------	--	--	--	--	-----------------	--	--	--	--	---------------------	--	--	--	--	--------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--



## FOAM LATEX GLOVES – WATERPROOF

## FEATURES

- Fully dipped glove giving complete water resistance and protection to skin from oily substances, anti-slip sandy coating, great for light metal fabrication, part assembly and general handling
- Conforms to EN388




Product Code	Size	Order Qty	Box Qty	List Price
OX-S483809	9 (Large)	1	120	
OX-S483810	10 (X Large)	1	120	

## FOAM LATEX THERMAL GLOVES – WATERPROOF

## FEATURES

- Thermal glove for great warmth in cold external conditions, fully dipped giving complete water resistance and protection to skin from oily substances, anti-slip sandy coating, great for light metal fabrication, parts assembly and general handling
- Conforms to EN388 & EN511



Product Code	Size	Order Qty	Box Qty	List Price
OX-S483909	9 (Large)	1	120	
OX-S483910	10 (X Large)	1	120	



## THERMAL GRIP GLOVES

## FEATURES



- Features a warm acrylic 10 gauge liner so ideal for working in cold conditions
- Also suitable for more heavy outdoor tasks
- Conforms to EN388



Product Code	Size	Order Qty	Box Qty	List Price
OX-S248609	9 (Large)	12	120	
OX-S248610	10 (X Large)	12	120	

## LATEX FLEX GLOVES

## FEATURES

- Very lightweight flexible glove, with superior grip for Component handling, general assembly, electronics, light engineering works, joinery, plumbing, automotive and inspection
- Conforms to EN388



Product Code	Size	Order Qty	Box Qty	List Price
OX-S484209	9 (Large)	12	120	
OX-S484210	10 (X Large)	12	120	

## PRO LATEX GRIP GLOVES

## FEATURES

- 10 Gauge high grade cotton liner
- High quality natural latex coating for long life & excellent grip
- Offers protection against snags, punctures, abrasions & cuts
- Conforms to EN388



Product Code	Size	Order Qty	Box Qty	List Price
OX-S246909	9 (Large)	12	120	
OX-S246910	10 (X Large)	12	120	



## LATEX GRIP GLOVES

## FEATURES

- Seamless Poly-cotton 10 gauge liner
- Open back for ventilation & ergonomic design that reduces hand fatigue
- Conforms to EN388

Product Code	Size	Order Qty	Box Qty	List Price
OX-S241608	8 (Medium)	12	120	
OX-S241609	9 (Large)	12	120	
OX-S241610	10 (X Large)	12	120	
OX-S241611	11 (XX Large)	12	120	



## FOAM LATEX CUT C GLOVES

## FEATURES

- Cut level C anti-cut, anti-slip, waterproof, ultra comfortable glove for sheet metal handling, glass cutting, sharp small parts handling, general assembly
- Conforms to EN388

## CUT C PROTECTION

Product Code	Size	Order Qty	Box Qty	List Price
OX-S484009	9 (Large)	12	120	
OX-S484010	10 (X Large)	12	120	



## PU FLEX CUT C GLOVES

## FEATURES

- Cut level C
- Combining cut resistance, comfort, dexterity and grip in a seamless PU palm dipped liner
- Conforms to EN388

## CUT C PROTECTION

Product Code	Size	Order Qty	Box Qty	List Price
OX-S249209	9 (Large)	12	120	
OX-S249210	10 (X Large)	12	120	



## PU FLEX GLOVES

## FEATURES

- Suitable for lighter duty applications
- The seamless 13 gauge knitted nylon liner has a PU palm & finger coating which provides excellent dexterity
- Conforms to EN388

Product Code	Size	Order Qty	Box Qty	List Price
OX-S241108	8 (Medium)	12	120	
OX-S241109	9 (Large)	12	120	
OX-S241110	10 (X Large)	12	120	
OX-S241111	11 (XX Large)	12	120	



## WHITE PU FLEX DECORATORS GLOVES

## FEATURES

- Suitable for lighter duty applications
- The seamless 13 gauge knitted nylon liner has a PU palm & finger coating which provides excellent dexterity
- Conforms to EN388

Product Code	Size	Order Qty	Box Qty	List Price
OX-S484510	10 (X Large)	12	120	



## COTTON DECORATORS GLOVES

## FEATURES

- Suitable for general handling activities
- Secure and comfortable fit

Product Code	Size	Order Qty	Box Qty	List Price
OX-S484710	10 (X Large)	12	120	





## NITRILE FLEX GLOVES

## FEATURES

- Nitrile dipped palm designed for extra abrasion resistance
- Oil repellent coating
- Conforms to EN388

Product Code	Size	Order Qty	Box Qty	List Price
OX-S249009	9 (Large)	12	120	
OX-S249010	10 (X Large)	12	120	



## PVC KNITWRIST GLOVES

## FEATURES

- Fully coated red PVC cotton glove to protect against oil, grease and most household chemicals
- Resistant to abrasion and tears
- Knitted wristband protects against dust and infiltration
- Conforms to EN388

Product Code	Size	Order Qty	Box Qty	List Price
OX-S245709	9 (Large)	12	120	
OX-S245710	10 (X Large)	12	120	



## PVC GAUNTLETS

## FEATURES

- Fully coated red PVC Gauntlet with soft comfortable cotton lining
- PVC Coating has smooth finish for excellent abrasion resistance
- Longer length (450mm) gives forearm protection
- Conforms to EN388

Product Code	Size	Order Qty	Box Qty	List Price
OX-S246845	10 (X Large)	12	12	




## NITRILE DISPOSABLE GLOVES - 100 PK

## FEATURES

- 100 Pack of powder free nitrile disposable gloves
- Ultra strong and flexible nitrile material for extra comfort and long life

Product Code	Size	Order Qty	Box Qty	List Price
OX-NDG-100/L	Large	1	10	
OX-NDG-100/XL	X Large	1	10	







## PP DISPOSABLE COVERALL

## FEATURES

- Single use coverall giving light protection from dirt and grease and dust
- 100% polypropylene
- Non woven coverall c/w elasticated wrists and ankles
- Minimal risk only

Product Code	Size	Order Qty	Box Qty	List Price
OX-S243701	S	1	50	
OX-S243702	M	1	50	
OX-S243703	L	1	50	
OX-S243704	XL	1	50	
OX-S243705	XXL	1	50	
OX-S243706	XXXL	1	50	

## Sizes:

	Chest girth	Body height
S	84-92cm	164-170cm
M	92-100cm	170-176cm
L	100-108cm	176-182cm
XL	108-116cm	182-188cm
XXL	116-124cm	188-194cm
XXXL	124-132cm	194-200cm

## TYPE 5/6 DISPOSABLE COVERALL

## FEATURES

- This is a lightweight micro porous coverall
- Elasticated hood, wrists and ankles
- Cost effective barrier to dust and particles and a limited splash and spray barrier
- Conforms to EN 13982 & EN13034

Product Code	Size	Order Qty	Box Qty	List Price
OX-S243601	S	1	50	
OX-S243602	M	1	50	
OX-S243603	L	1	50	
OX-S243604	XL	1	50	
OX-S243605	XXL	1	50	
OX-S243606	XXXL	1	50	



## HI VISIBILITY VEST

## FEATURES

- Made from 100% polyester
- Velcro front fastening and conforming reflective tape
- Conform to EN471 Class 2



Product Code	Size	Order Qty	Box Qty	List Price
OX-S242805	Yellow - S	1	100	
OX-S242806	Yellow - M	1	100	
OX-S242807	Yellow - L	1	100	
OX-S242808	Yellow - XL	1	100	
OX-S242809	Yellow - XXL	1	100	
OX-S242810	Yellow - XXXL	1	100	
OX-S242705	Orange - S	1	100	
OX-S242706	Orange - M	1	100	
OX-S242707	Orange - L	1	100	
OX-S242708	Orange - XL	1	100	
OX-S242709	Orange - XXL	1	100	
OX-S242710	Orange - XXXL	1	100	



## HEAVY DUTY SOFT GEL KNEE PADS

## FEATURES

- Ergonomic shape for stability and comfort for use over long periods
- Anti compression air injected gel and foam EVA core for maximum cushioning
- Perforated neoprene lining to keep away moisture
- One size fits all
- Easy positioning of knee pad

Product Code	Size	Order Qty	Box Qty	List Price
OX-S246201	One size fits all	1	24	





## SAFETY WELLINGTON BOOTS



AVAILABLE IN SIZES 5 - 13



Steel toe  
& midsole

### FEATURES

- Steel toe & midsole
- Fuel oil resistant sole
- Antistatic footwear
- Protection against perforation at least 1100N
- Slip resistance on ceramic/stainless steel floors
- Complies to EN ISO 20345 S5+SRA

Product Code	Size	Order Qty	Box Qty	List Price
OX-S242405	UK 5 (EU 38)	1	5	
OX-S242406	UK 6 (EU 40)	1	5	
OX-S242407	UK 7 (EU 41)	1	5	
OX-S242408	UK 8 (EU 42)	1	5	
OX-S242409	UK 9 (EU 43)	1	5	
OX-S242410	UK 10 (EU 44)	1	5	
OX-S242411	UK 11 (EU 45)	1	5	
OX-S242412	UK 12 (EU 46)	1	5	
OX-S242413	UK 13 (EU 47)	1	5	



## HONEY NUBUCK SAFETY BOOTS

### FEATURES

- Complies to EN345 SBP FO SRC
- Steel toe and midsole
- Honey nubuck leather upper
- Goodyear welted sole
- Oil resistant sole
- Rugged design
- Comfortable inner sole

Product Code	Size	Order Qty	Box Qty	List Price
OX-S242506	UK 6 (EU 40)	1	10	
OX-S242507	UK 7 (EU 41)	1	10	
OX-S242508	UK 8 (EU 42)	1	10	
OX-S242509	UK 9 (EU 43)	1	10	
OX-S242510	UK 10 (EU 44)	1	10	
OX-S242511	UK 11 (EU 45)	1	10	
OX-S242512	UK 12 (EU 46)	1	10	
OX-S242513	UK 13 (EU 47)	1	10	



AVAILABLE IN SIZES 6 - 13



Steel toe  
& midsole





## World leading technology...



OX has redefined excellence in the world of circular saw blades with the introduction of its new superfast range.

These revolutionary saw blades have a stronger tooth bond that provides up to 50% longer life. The carbide teeth are made from a tougher than standard carbide that stays sharp longer and are sharpened to finer more durable cutting edges that produce a faster and straighter cut.

Blade cores are made from the highest quality steel, precision engineered, ground and hardened.



## Blade selection & presentation



### Wood – speed cut/coarse finish

For ripping through softwood, hardwood & plywood.



### Wood – cross cut/medium finish

For cutting through softwood, hardwood & plywood.



### Wood – fine finish

For cutting through softwood, hardwood, plywood, MDF, hardboard and wood laminates.



### Wood – extra fine finish

For very fine finish when cutting through softwood, hardwood, plywood, MDF, hardboard and wood laminates.



### Aluminium/Plastic/Laminate – extra fine finish

For cutting non-ferrous metals including aluminium, plastic and wood laminates.



## Wood cutting blade

A range of high quality circular saw blades designed for a professional finish and long cutting life.



Alternate Top Bevel (ATB) tooth configuration for the pro tradesperson

Reamed bore to ensure precision fit to spindle

Expansion slots



Brazed tungsten tip



Supplied with reducing rings (extra care must be taken when mounting blade to machine when using these)

Safe and secure blister pack

Supplied with reducing rings

Reference chart to show alternative blades available in the same size

Diameter and bore size

Number of teeth

Clear graphics showing blade type and application

Tooth type

Angle of tooth



## TCTW

## WOOD CUTTING BLADE

Product Code	Dia (mm)	Bore (mm)	Teeth	Kerf / Plate	Type	List Price
OX-TCTW-1602020	160	20	20	2.6/1.8	ATB	
OX-TCTW-1602040	160	20	40	2.6/1.8	ATB	
OX-TCTW-1602060	160	20	60	2.6/1.8	ATB	
OX-TCTW-1841620	184	16	20	2.8/2.0	ATB	
OX-TCTW-1843028	184	30	28	2.8/2.0	ATB	
OX-TCTW-1843040	184	30	40	2.8/2.0	ATB	
OX-TCTW-1843060	184	30	60	2.8/2.0	ATB	
OX-TCTW-1902028	190	20	28	2.8/2.0	ATB	
OX-TCTW-1903020	190	30	20	2.8/2.0	ATB	
OX-TCTW-1903040	190	30	40	2.8/2.0	ATB	
OX-TCTW-1903060	190	30	60	2.8/2.0	ATB	
OX-TCTW-2103028	210	30	28	2.8/2.0	ATB	
OX-TCTW-2103040	210	30	40	2.8/2.0	ATB	
OX-TCTW-2103060	210	30	60	2.8/2.0	ATB	
OX-TCTW-2163028	216	30	28	2.8/2.0	ATB	
OX-TCTW-2163040	216	30	40	2.8/2.0	ATB	
OX-TCTW-2163060	216	30	60	2.8/2.0	ATB	
OX-TCTW-2163080	216	30	80	2.8/2.0	ATB	
OX-TCTW-2303024	230	30	24	2.8/2.0	ATB	
OX-TCTW-2353028	235	30	28	2.8/2.0	ATB	
OX-TCTW-2353040	235	30	40	2.8/2.0	ATB	
OX-TCTW-2353060	235	30	60	2.8/2.0	ATB	
OX-TCTW-2353080	235	30	80	3.0/2.2	ATB	
OX-TCTW-2503028	250	30	28	2.8/2.0	ATB	
OX-TCTW-2503040	250	30	40	2.8/2.0	ATB	
OX-TCTW-2503060	250	30	60	2.8/2.0	ATB	
OX-TCTW-2503080	250	30	80	2.8/2.0	ATB	
OX-TCTW-2603048	260	30	48	2.8/2.0	ATB	
OX-TCTW-2603060	260	30	60	2.8/2.0	ATB	
OX-TCTW-3003048	300	30	48	3.0/2.0	ATB	
OX-TCTW-3003060	300	30	60	3.0/2.0	ATB	
OX-TCTW-3003080	300	30	80	3.0/2.0	ATB	
OX-TCTW-3053032	305	30	32	3.0/2.0	ATB	
OX-TCTW-3053060	305	30	60	3.0/2.0	ATB	
OX-TCTW-3053096	305	30	96	3.0/2.0	ATB	



Cut Type
Speed Cut/Coarse Finish
Cross Cut/Medium Finish
Fine Finish
Extra Fine Finish

## TCTW-NG WOOD CUTTING BLADE (NEGATIVE RAKE)

Product Code	Dia (mm)	Bore (mm)	Teeth	Kerf / Plate	Type	List Price
OX-TCTW-NG-2163028	216	30	28	2.8/2.0	ATB	
OX-TCTW-NG-2163040	216	30	40	2.8/2.0	ATB	
OX-TCTW-NG-2163060	216	30	60	2.8/2.0	ATB	
OX-TCTW-NG-2503060	250	30	60	2.8/2.0	ATB	
OX-TCTW-NG-2603060	260	30	60	2.8/2.0	ATB	
OX-TCTW-NG-3053040	305	30	40	2.8/2.0	ATB	
OX-TCTW-NG-3053060	305	30	60	2.8/2.0	ATB	
OX-TCTW-NG-30530100	305	30	100	3.0/2.0	TCG	





## Thin kerf wood cutting blade

Thin kerf blades designed for cordless machines, with anti-kickback for smooth cutting action and safety during use. Also for use on rip saws.



Alternate Top Bevel (ATB) tooth configuration for the pro tradesperson

Reamed bore to ensure precision fit to spindle

Expansion slots



Brazed tungsten tip



Supplied with reducing rings (extra care must be taken when mounting blade to machine when using these)

### TCTW-TF

### THIN KERF WOOD CUTTING BLADE



Product Code	Dia (mm)	Bore (mm)	Teeth	Kerf / Plate	Type	List Price
OX-TCTW-TF-1361020	136	10	20	1.5/1.0	ATB	
OX-TCTW-TF-1362020	136	20	20	1.5/1.0	ATB	
OX-TCTW-TF-1502020	150	20	20	1.5/1.0	ATB	
OX-TCTW-TF-1602024	160	20	24	1.6/1.0	ATB	
OX-TCTW-TF-1602040	160	20	40	1.6/1.0	ATB	
OX-TCTW-TF-1602060	160	20	60	1.6/1.0	ATB	
OX-TCTW-TF-1651624	165	16	24	1.6/1.0	ATB	
OX-TCTW-TF-1652024	165	20	24	1.6/1.0	ATB	
OX-TCTW-TF-1652040	165	20	40	1.6/1.0	ATB	
OX-TCTW-TF-1841628	184	16	28	1.6/1.0	ATB	
OX-TCTW-TF-1841640	184	16	40	1.6/1.0	ATB	
OX-TCTW-TF-1901628	190	16	28	1.6/1.0	ATB	
OX-TCTW-TF-1901640	190	16	40	1.6/1.0	ATB	

Cut Type
Speed Cut/Coarse Finish
Cross Cut/Medium Finish
Fine Finish
Extra Fine Finish



## Alu/Plastic/Laminate cutting blade



Triple Chip (TCG) tooth configuration for the pro tradesperson

Reamed bore to ensure precision fit to spindle

Expansion slots



Brazed tungsten tip


Negative tooth angle for ultimate quality of cut



Supplied with reducing rings (extra care must be taken when mounting blade to machine when using these)

### TCTA THIN KERF ALU/PLASTIC/LAMINATE CUTTING BLADE

Product Code	Dia (mm)	Bore (mm)	Teeth	Kerf / Plate	Type	List Price
OX-TCTA-1842048	184	20	48	2.4/1.8	TCG	
OX-TCTA-1903048	190	30	48	2.6/2.0	TCG	
OX-TCTA-2103060	210	30	60	2.8/2.2	TCG	
OX-TCTA-2163060	216	30	60	2.8/2.2	TCG	
OX-TCTA-2163080	216	30	80	2.8/2.2	TCG	
OX-TCTA-2503080	250	30	80	2.8/2.2	TCG	
OX-TCTA-25030100	250	30	100	2.8/2.2	TCG	
OX-TCTA-30030100	300	30	100	3.0/2.4	TCG	




Cut Type
Speed Cut/Coarse Finish
Cross Cut/Medium Finish
Fine Finish
Extra Fine Finish





## PCD fibre cement cutting blade

With polycrystalline diamond tipped teeth this blade produces faster cutting ability and far longer life when cutting fibre cement board.



PCD ULTIMATE FIBRE CEMENT BLADE			
Product Code	Diameter (mm)	Bore (mm)	List Price
OX-PCD-160/20	160	20	
OX-PCD-165/20	165	20	
OX-PCD-190/30	190	30	
OX-PCD-216/30	216	30	
OX-PCD-235/30	235	30	
OX-PCD-250/30	250	30	
OX-PCD-260/30	260	30	
OX-PCD-305/30	305	30	




## Metal cutting blade

Professional blade for clean, fast cutting of various metals including steel and stainless steel.



Triple Chip (TCG) tooth configuration for the pro tradesperson



TCTM METAL BLADE							
Product Code	Barcode	Dia (mm)	Bore (mm)	Teeth	Kerf / Plate	Type	List Price
OX-TCTM-3052560	5060359915672	305	25.4	60	2.6/2.0	TCG	
OX-TCTM-3552580	5060359915665	355	25.4	80	2.6/2.0	TCG	





World leading  
diamond  
technology...



Only the finest quality  
of diamond is used in  
the production of  
Spectrum products



Blade cores are made  
of the highest quality steel,  
precision engineered,  
ground and hardened



State of the art laser  
technology for ultimate  
performance and safety

## Material Classes

UNIVERSAL  
HARD

Hard materials & metal  
Fast cutting universal  
Hard natural stone  
Clay products  
Engineering bricks

## CONCRETE

Concrete & concrete products  
General purpose  
Unabrasive products  
Building products

## ABRASIVE

Abrasive materials  
Concrete & asphalt  
Dual purpose  
Concrete products  
Concrete roof tiles

## ASPHALT

Asphalt & extremely  
abrasive products  
Cement screed  
Lignacite blocks

## TRADE XL SERIES



TXL TURBO | XLT



XL SUPER | XLS



XL ABRASIVE | XLA

## PREMIUM SERIES



PREMIUM TURBO | DX10



DOUBLE SIX | DCX



PREMIUM ABRASIVE | DCA



PREMIUM ASPHALT | DA

## PRO SERIES



PRO TURBO | TX10R



PRO CONCRETE | MCX



PRO ABRASIVE | MCA



PRO ASPHALT | MA



The Contractor Series gives the benefit of a safe performing product for the cost conscious user.



## CONTRACTOR CGS – GENERAL PURPOSE

Entry level diamond blade for the cost conscious user. General purpose use.

Product Code	Diameter (mm)	Bore (mm)	List Price
CGS-115/22	115	22.2	
CGS-230/22	230	22.2	
CGS-300/20	300	20	

**APPLICATIONS:** bricks and slabs, concrete paviors, roof tiles, concrete products.



## CONTRACTOR CG10 – GENERAL PURPOSE

General purpose blade with a 10mm segment height for longer life.

Product Code	Diameter (mm)	Bore (mm)	List Price
CG10-115/22	115	22.2	
CG10-230/22	230	22.2	
CG10-300/20	300	20	

**APPLICATIONS:** bricks and slabs, concrete paviors, roof tiles, concrete products.

## CONTRACTOR CGS – GENERAL PURPOSE TRIPLE PACK

Contractor CGS Diamond Blade Triple Pack 115/22.23mm.

Product Code	Diameter (mm)	Bore (mm)	List Price
X3-CGS-115/22	115	22.2	

**APPLICATIONS:** bricks and slabs, concrete paviors, roof tiles, concrete products.



## CONTRACTOR GTT– G P, TURBO & CERAMIC TRIPLE PACK

3 Pack includes General Purpose, Turbo & Ceramic Blades.

Product Code	Diameter (mm)	Bore (mm)	List Price
X3-GTT-115/22	115	22.2	

**APPLICATIONS:**

G.P. Blade – bricks and slabs, concrete paviors, roof tiles, concrete products.

Turbo Blade – bricks and slabs, concrete paviors, roof tiles, concrete products.

Ceramic Blade – ceramic tiles.





The OX Spectrum Trade XL Series offers the perfect balance between quality and value for money. This comprehensive range of fantastic looking diamond blades covers speed, long life and ultimate value offering the trades person a blade for every application.



## TRADE XL XL10 – GENERAL PURPOSE

10mm Segmented General purpose building materials cutting blade.

Product Code	Diameter (mm)	Bore (mm)	List Price
XL10-105/16	105	16	
XL10-115/22	115	22.2	
XL10-125/22	125	22.2	
XL10-230/22	230	22.2	
XL10-300/20	300	20	

**APPLICATIONS:** standard facing bricks, precast concrete products, concrete paviors, concrete kerbs & slabs and general purpose building products.



## TRADE XL XLT TURBO – UNIVERSAL/HARD

Semi continuous rim turbo blade for fast cutting of universal and general building products, 10mm segment height.

Product Code	Diameter (mm)	Bore (mm)	List Price
XLT-115/22	115	22.2	
XLT-230/22	230	22.2	
XLT-300/20	300	20	

**APPLICATIONS:** precast concrete products, clay products, indian sandstone, engineering bricks, limestone and slate.

## TRADE XL XLS SUPER – CONCRETE

10mm Turbo Segment blade for fast cutting of concrete products and general building materials.

Product Code	Diameter (mm)	Bore (mm)	List Price
XLS-115/22	115	22.2	
XLS-230/22	230	22.2	
XLS-300/20	300	20	



**APPLICATIONS:** medium to hard building products, kerbs & slabs, concrete paviors, light reinforced concrete, granite kerbs and general purpose building products.

## TRADE XL XLA – ABRASIVE

For cutting more abrasive and general purpose building materials and concrete products, 10mm segment height.

Product Code	Diameter (mm)	Bore (mm)	List Price
XLA-115/22	115	22.2	
XLA-125/22	125	22.2	
XLA-230/22	230	22.2	
XLA-300/20	300	20	
XLA-350/20	350	20	



**APPLICATIONS:** yorkstone, lightweight concrete blocks, concrete kerbs & slabs, concrete roof tiles and general purpose building products.





The Premium Series allows blade users to get value for money without compromising on performance or safety. Not only are these the best blades available at this price level, they also offer the most comprehensive and clear choice. The exceptionally keen pricing of the DCX DOUBLE SIX (with the maxim 'don't chance it - get a double six everytime') has won over many users who previously bought only the least expensive discs.



## PREMIUM DX10 TURBO – UNIVERSAL/HARD

Fast cutting universal blade, with 10mm segment. Features super fast turbo segment and cooling holes.

Product Code	Diameter (mm)	Bore (mm)	List Price
DX10-105/16	105	16	
DX10-115/22	115	22.2	
DX10-125/22	125	22.2	
DX10-150/22	150	22.2	
DX10-180/22	180	22.2	
DX10-230/22	230	22.2	
DX10-300/20	300	20	
DX10-350/20	350	20	
DX10-350/25	350	25.4	

CUTS IT ALL – GUARANTEED!

**APPLICATIONS:** concrete products, clay products, granite, engineering bricks, building products.



## PREMIUM DCX DOUBLE SIX – G. P.

The general purpose blade with a 12mm segment. All round performance.

Product Code	Diameter (mm)	Bore (mm)	List Price
DCX115/22	115	22.2	
DCX125/22	125	22.2	
DCX230/22	230	22.2	
DCX300/20	300	20	
DCX350/20	350	20	
DCX350/25	350	25.4	

**APPLICATIONS:** building products, general purpose, kerbs and slabs, concrete paviors and blocks, roof tiles.

## PREMIUM DCA – ABRASIVE/GENERAL PURPOSE

Abrasive and general purpose blade with 10mm segment.

Product Code	Diameter (mm)	Bore (mm)	List Price
DCA105/16	105	16	
DCA115/22	115	22.2	
DCA125/22	125	22.2	
DCA150/22	150	22.2	
DCA180/22	180	22.2	
DCA230/22	230	22.2	
DCA300/20	300	20	
DCA350/20	350	20	
DCA350/25	350	25.4	
DCA450/25	450	25.4	



**APPLICATIONS:** general and abrasive building products, concrete paviors, concrete roof tiles, hard asphalt, breeze blocks.

## PREMIUM DA – ASPHALT

Asphalt blade with 10mm wedge segment undercut protection.

Product Code	Diameter (mm)	Bore (mm)	List Price
DA300/20	300	20	
DA350/25	350	25.4	



**APPLICATIONS:** asphalt and extremely abrasive materials, render.





The award winning, best selling PRO Series blades – including the TX10R – the best all round builders blade on the market. These are simply the best value for money blades available in this sector, giving performance you would associate with a professional product at a price that has revolutionised the market.



## PRO TX10R SUPERFAST – MULTI-STEEL

Guaranteed to cut all construction products including metal. Excellent fast cut universal & hard materials. Reinforced flange. Cooling holes. Semi-transparent.

Product Code	Diameter (mm)	Bore (mm)	List Price
TX10R-105/16	105	16	
TX10R-115/22	115	22.2	
TX10R-125/22	125	22.2	
TX10R-150/22	150	22.2	
TX10R-180/22	180	22.2	
TX10R-230/22	230	22.2	
TX10R-300/20	300	20	
TX10R-350/20	350	20	
TX10R-350/25	350	25.4	

**APPLICATIONS:** granite, natural stone, clay products, engineering bricks, metal, concrete products, all building materials. Wear will increase on abrasive materials.



## PRO MCX SUPERCUT – CONCRETE

Durable 'Cuts it all' general purpose and concrete products blade with 15mm segment and cooling holes.

Product Code	Diameter (mm)	Bore (mm)	List Price
MCX115/22	115	22.2	
MCX230/22	230	22.2	
MCX300/20	300	20	
MCX350/20	350	20	
MCX350/25	350	25.4	

**APPLICATIONS:** concrete kerbs and slabs, concrete paviors, roof tiles, bricks, general building materials.

## PRO MCA ZEBRA – ABRASIVE

High performance dual purpose blade with 10mm segment and wedge undercut protection.



Product Code	Diameter (mm)	Bore (mm)	List Price
MCA105/16	105	16	
MCA115/22	115	22.2	
MCA125/22	125	22.2	
MCA150/22	150	22.2	
MCA180/22	180	22.2	
MCA230/22	230	22.2	
MCA300/20	300	20	
MCA350/20	350	20	
MCA350/25	350	25.4	
MCA400/20	400	20	
MCA400/25	400	25.4	
MCA450/25	450	25.4	

**APPLICATIONS:** abrasive building materials, concrete products, roof tiles, blocks, floorsaw concrete & dual concrete/asphalt.

## PRO MA SHARK – ASPHALT

Undercut protected blade with 10mm segment and wedge undercut protection.



Product Code	Diameter (mm)	Bore (mm)	List Price
MA300/20	300	20	
MA350/20	350	20	
MA350/25	350	25.4	

**APPLICATIONS:** asphalt and extremely abrasive products.



The Ultimate range. Sophisticated, yet concise. Comprehensive, without compromising clarity. We've put together this range with careful consideration to everything you would expect from the highest quality blades on the market – and a lot you may never have thought of. With the range consisting of four main blades to cover every situation, your discerning customer need look no further. Impressive presentation backed up by excellent merchandising creates blades that are desirable.



## ULTIMATE ZX10 AUTO – UNIVERSAL/HARD

New Auto-Array technology allows the diamonds to be placed evenly to an exact specification. This produces exceptionally fast cutting speed and the ability to cut the hardest concrete and natural stone.

Product Code	Diameter (mm)	Bore (mm)	List Price
ZX10-350/25/20	350	20/25.4	
ZX10-450/25	450	25.4	
ZX10-500/25	450	25.4	

**APPLICATIONS:** hard natural stone, hard concrete, clay products & general building materials.



## ULTIMATE ZCX CYCLONE – CONCRETE

Blade with 10mm segment height. Featuring tear drop gullet design, cooling holes, reinforced centre flange.

Product Code	Diameter (mm)	Bore (mm)	List Price
ZCX230/22	230	22.2	
ZCX300/20	300	20	
ZCX350/25/20	350	25.4/20	

**APPLICATIONS:** in-situ concrete (including reinforced), concrete products, natural stone, building materials, steel. Ideal 'civils' blade.

## ULTIMATE ZCA ZEBRA – ABRASIVE

Dual purpose blade with 10mm segment height. Featuring 'wedge segment' undercut protection, narrow gullet.

Product Code	Diameter (mm)	Bore (mm)	List Price
ZCA115/22	115	22.2	
ZCA125/22	125	22.2	
ZCA230/22	230	22.2	
ZCA300/20	300	20	
ZCA350/20	350	20	
ZCA350/25	350	25.4	
ZCA400/20	400	20	
ZCA400/25	400	25.4	
ZCA450/25	450	25.4	



**APPLICATIONS:** dual purpose concrete & asphalt, abrasive materials and abrasive concrete products (e.g. roof tiles, blocks).

## ULTIMATE ZA BLACK SHARK – ASPHALT

Asphalt blade with 10mm segment height. Featuring 'wedge segment' undercut protection, 'U' clearance gullet.

Product Code	Diameter (mm)	Bore (mm)	List Price
ZA300/20	300	20	
ZA350/20	350	20	
ZA350/25	350	25.4	
ZA450/25	450	25.4	



**APPLICATIONS:** asphalt & extremely abrasive products, cement screed, lignacite blocks.



## PRO 2CM – 2CM PORCELAIN TILES

Fast cutting – unique diamond segment ensures swift and smooth cutting, making it easier and more accurate. Suitable for wet and dry cutting.

Product Code	Diameter (mm)	Bore (mm)	List Price
2CM-115/22	115	22.2	
2CM-125/22	125	22.2	
2CM-180/25/22	180	25.4/22.2	
2CM-200/25/22	200	25.4/22.2	
2CM-230/22	230	22.2	
2CM-250/25	250	25.4	
2CM-300/20	300	20	
2CM-350/25/20	350	25.4/20	

**APPLICATIONS:** Guaranteed to cut porcelain, all hard stone and all ceramic tiles.



SCAN THE QR TO LEARN MORE



Brand new OX photo quality screen-print ensures ultimate visibility on shelf and clear overview of blade usage.



Mesh segment design – ensures minimal chipping of material during cutting.

Cooling holes for fast effective heat reduction to ensure stability of the centre plate whilst cutting extremely hard materials.



## PREMIUM DCA – ABRASIVE/GENERAL PURPOSE

Abrasive and general purpose blade with 10mm segment.

Product Code	Diameter (mm)	Bore (mm)	List Price
DCA350/25	350	25.4	
DCA450/25	450	25.4	

**APPLICATIONS:** general and abrasive building products, concrete paviors, concrete roof tiles, hard asphalt, breeze blocks.



## PRO MC – CONCRETE

High quality blade with 10mm segment. Used by professionals.

Product Code	Diameter (mm)	Bore (mm)	List Price
MC350/25	350	25.4	
MC450/25	450	25.4	

**APPLICATIONS:** in-situ concrete – flint and limestone aggregate, reinforced concrete.



## PRO MCA ZEBRA – DUAL PURPOSE

Dual purpose blade with 10mm segment. Featuring 'wedge segment' undercut protection.

Product Code	Diameter (mm)	Bore (mm)	List Price
MCA350/25	350	25.4	
MCA400/25	400	25.4	
MCA450/25	450	25.4	

**APPLICATIONS:** concrete and asphalt, abrasive concrete, concrete paviors.



## PRO MA SHARK – ASPHALT

High quality blade with 10mm segment. Featuring 'wedge segment' undercut protection.

Product Code	Diameter (mm)	Bore (mm)	List Price
MA350/25	350	25.4	
MA450/25	450	25.4	

**APPLICATIONS:** hot rolled and footway asphalt, cement screed.





## ULTIMATE ZCF CYCLONE – CONCRETE

Extremely high quality blade with 10mm segment. Used by professionals.

Product Code	Diameter (mm)	Bore (mm)	List Price
ZCF350/25	350	25.4	
ZCF450/25	450	25.4	

**APPLICATIONS:** in-situ concrete - flint and limestone aggregate, reinforced concrete.



## ULTIMATE ZCA ZEBRA – DUAL PURPOSE

Dual purpose blade with 10mm segment height. Featuring 'wedge segment' undercut protection, narrow gullet.

Product Code	Diameter (mm)	Bore (mm)	List Price
ZCA350/25	350	25.4	
ZCA400/25	400	25.4	
ZCA450/25	450	25.4	
ZCA500/25	500	25.4	
ZCA600/25	600	25.4	

**APPLICATIONS:** concrete and asphalt, abrasive concrete, asphalt over concrete, concrete paviors.




## ULTIMATE ZA BLACK SHARK – ASPHALT

Asphalt blade with 10mm segment height. Featuring 'wedge segment' undercut protection, 'U' clearance gullet.

Product Code	Diameter (mm)	Bore (mm)	List Price
ZA350/25	350	25.4	
ZA450/25	450	25.4	
ZA500/25	500	25.4	
ZA600/25	600	25.4	

**APPLICATIONS:** hot rolled and footway asphalt, cement screed, extremely abrasive new green concrete.



## ULTIMATE ZRX – ASPHALT OVER CONCRETE

Specialist blade with 10mm segment height. Featuring 'wedge segment' undercut protection and narrow slot.

Product Code	Diameter (mm)	Bore (mm)	List Price
ZRX350/25	350	25.4	
ZRX450/25	450	25.4	

**APPLICATIONS:** green concrete, asphalt over concrete, dual concrete and asphalt, abrasive materials .



## ULTIMATE KRB – KARBITE MULTI-PURPOSE

A saw blade made up of carbide clusters to cut many products from timber to plastic, tree roots to rubber and is not put off by nails or screws. Available in 300 & 350mm for use on hand held disc cutters and 115 & 230mm for angle grinders.

Product Code	Diameter (mm)	Bore (mm)	List Price
KRB115/22	115	22.2	
KRB230/22	230	22.2	
KRB300/20	300	20	
KRB350/25/20	350	25.4/20	



**APPLICATIONS:** tree roots & soil, wooden boards & planks, fence panels, railway sleepers, small trees & branches, thin sheet metal, scaffold boards, wooden / plastic pallets, plywood, chipboard, nails & screws, PE & PP plastics, flashing, decking, rubber, abrasive blocks, tar & mastic, flat roofing. DO NOT USE ON CONCRETE, CERAMICS, MASONRY PRODUCTS OR THICK METAL.

## ULTIMATE USB – METAL CUTTING

The new way to cut ALL metals...FAST! Suitable for handsaw.

Product Code	Diameter (mm)	Bore (mm)	List Price
USB115/22	115	22.2	
USB230/22	230	22.2	
USB300/20	300	20	



**APPLICATIONS:** ductile iron pipe, cast iron, rebar, steel, fibreglass, plastic pipe & concrete.

## PRO MCM TURBO – CORDLESS MACHINE

Blade designed for use with cordless machines, where speed, reduced dust and cable free working are required.

Product Code	Diameter (mm)	Bore (mm)	List Price
MCM115/22	115	22.2	



**APPLICATIONS:** concrete products, clay products, granite, engineering bricks, building products.





## CONTRACTOR CG6 – MORTAR RAKE

6mm wide segment. Entry level product for the cost conscious user.

Product Code	Diameter (mm)	Bore (mm)	List Price
CG6-115/22	115	22.2	
CG6-125/22	125	22.2	

**APPLICATIONS:** mortar raking, brick raking, abrasive materials.



## PREMIUM RD6 – MORTAR RAKE

6mm wide segment blade. Fantastic value for money product.

Product Code	Diameter (mm)	Bore (mm)	List Price
RD6-115/22	115	22.2	
RD6-125/22	125	22.2	

**APPLICATIONS:** mortar raking, brick raking, abrasive materials.



## PRO RX6 – MORTAR RAKE

High quality 6mm wide segment blade. The market leader – a great product to use. Fast cut/long life.

Product Code	Diameter (mm)	Bore (mm)	List Price
RX6-115/22	115	22.2	
RX6-125/22	125	22.2	
RX6-180/22	180	22.2	

**APPLICATIONS:** mortar raking, abrasive materials.



## ULTIMATE RZ6 – MORTAR RAKE

Professional 6mm wide segment blade. For the professional user, offers ultimate endurance where life is the greatest issue. With undercut protection.

Product Code	Diameter (mm)	Bore (mm)	List Price
RZ6-115/22	115	22.2	
RZ6-125/22	125	22.2	


**APPLICATIONS:** mortar raking, abrasive materials.

## TRADE XL CUTS ALL TILES DIAMOND BLADE

Multi purpose long life tile cutting blade for a precise, chip-free finish. Suitable for wet and dry cutting.

Product Code	Diameter (mm)	Bore (mm)	List Price
CAT-115/22	115	22.2	

**APPLICATIONS:** ceramic and medium hard natural stone tiles.



## TRADE XL SD – CERAMICS

Continuous rim diamond blade for cutting ceramic tiles. Popular sizes.

Product Code	Diameter (mm)	Bore (mm)	List Price
SD115/22	115	22.2	
SD180/25/22	180	22.2	
SD200/25/22	200	22.2	

**APPLICATIONS:** ceramic tiles.



## PRO SM – CERAMICS

Continuous superior blade for cutting ceramic tiles. All sizes from 100mm - 230mm.

Product Code	Diameter (mm)	Bore (mm)	List Price
SM100/16	100	16	
SM115/22	115	22.2	
SM125/22	125	22.2	
SM150/25/22	150	25.4/22.2	
SM180/25/22	180	25.4/22.2	
SM200/25/22	200	25.4/22.2	
SM230/25/22	230	25.4/22.2	

**APPLICATIONS:** ceramic and medium hard natural stone tiles.







## PRO SL-PRO – ALL TILES...GUARANTEED!

Featuring 8mm continuous rim, fine cut, high concentration, s-slot cool cutting, s-detensor silencing. Cuts all tiles – guaranteed!

Product Code	Diameter (mm)	Bore (mm)	List Price
SL080/22/15	80	22.2/15	
SL105/22/16	105	22.2/16	
SL115/22	115	22.2	
SL125/22	125	22.2	
SL150/25/22	150	25.4/22.2	
SL180/25/22	180	25.4/22.2	
SL200/25/22	200	25.4/22.2	
SL230/25/22	230	25.4/22.2	
SL250/25	250	25.4	
SL300/25/20	300	25.4/20	
SL350/25	350	25.4	

**APPLICATIONS:** ceramic tiles, natural stone, porcelain, granite, marble.



## PRO LST – FINE TURBO PORCELAIN

Super thin turbo with 7mm segment. The finest cut for porcelain.

Product Code	Diameter (mm)	Bore (mm)	List Price
LST115/22	115	22.2	
LST125/22	125	22.2	
LST150/25/22	150	25.4/22.2	
LST180/25/22	180	25.4/22.2	
LST200/25/22	200	25.4/22.2	
LST230/25/22	230	25.4/22.2	
LST250/25	250	25.4	
LST300/25/20	300	25.4/20	
LST350/25	350	25.4	

**APPLICATIONS:** porcelain, ceramic, natural stone, granite.



## PRO TK – TURBO CUP GRINDER

For stock removal, surface grinding and finishing. Universal applications. Transform your 4½" grinder into a handy diamond grinding machine.

Product Code	Diameter (mm)	Bore (mm)	List Price
TK100/22	100	22.2	

**APPLICATIONS:** concrete and concrete products, natural stone, general building products.



## ULTIMATE KDR – DOUBLE CUP GRINDER

Professional double row cup grinder for universal concrete, construction products and stone. Long life.

Product Code	Diameter (mm)	Bore (mm)	List Price
KDR105/22	105	22.2	
KDR115/22	115	22.2	
KDR125/22	125	22.2	
KDR180/22	180	22.2	

**APPLICATIONS:** concrete, natural stone and construction products.



## ULTIMATE PFC – FAN CUP GRINDING DISC

Professional fan cup grinding disc for universal concrete, construction products and stone. Long life.

Product Code	Diameter (mm)	Bore (mm)	List Price
PFC105/22	105	22.2	
PFC115/22	115	22.2	
PFC125/22	125	22.2	
PFC150/19	150	19	

**APPLICATIONS:** concrete, natural stone and construction products.



## ULTIMATE MKT – TURBO CUP GRINDER

Extremely versatile wide turbo design for use with Makita PC1100. Also available in 22mm bore and M14 thread for angle grinders.

Product Code	Diameter (mm)	Bore (mm)	List Price
MKT105/22/15	105	22.2/15	

**APPLICATIONS:** concrete and natural stone.



## ULTIMATE KP – PLANING HEAD

250mm concrete planing heads with universal mounting configuration for most floor planers. Available in 10, 16 and 20 segments.

Product Code	Diameter (mm)	No. of segments	List Price
KP10-250	250	10	
KP16-250	250	16	
KP20-250	250	20	

**APPLICATIONS:** floor levelling, surface preparation and removal of adhesives, etc.





## STANDARD CDC5 – DRY CORE CASE

The new CDC5 contractor core case provides exceptional value for money and considerably outperforms other manufacturers 'mainstream' products.

Product Code	Core diameter (mm)	List Price
CDC5	38, 52, 65, 117, 127	

**ACCESSORIES:** HEX & SDS Adapters and extensions



## PREMIUM MBD (BD CORES) – DRY CORE CASE

Everything you need to get going with dry core drilling in a sturdy, aluminium case. Renowned BD cores and HEX and SDS accessories. For more information on BD range page 94.

Product Code	Core diameter (mm)	List Price
MBD3	38, 52, 117	
MBD5	38, 52, 65, 117, 127	

**ACCESSORIES:** JX01, JS01, JB05, JB09, JB13, JB26



## PRO MS – DRY CORE CASE

Everything you need to get started with dry core drilling in a sturdy, aluminium case.

Product Code	Core diameter (mm)	List Price
MS5	38, 52, 65, 117, 127	
MS3	38, 52, 117	

**ACCESSORIES:** JX01, JS01, JB05, JB09, JB13, JB26



## ULTIMATE MBX5 – DRY CORE CASE

Everything you need to get going with dry core drilling in a sturdy, aluminium case. Revolutionary BX10 long life dry core and HEX and SDS accessories. For more information on BX10 range see page 95.

Product Code	Core diameter (mm)	List Price
MBX5	38, 52, 65, 117, 127	

**ACCESSORIES:** JX01, JS01, JB05, JB09, JB13, JB26



## ADAPTORS – 1/2" BSP (M)

Product Code	Description	List Price
JX01	HEX ADAPTOR ONLY	
JX31	HEX 250MM LONG ADAPTOR	
JS01	SDS (PLUS) ADAPTOR ONLY	
JS25	SDS (PLUS) 250MM LONG ADAPTOR	
JM01	SDS MAX ADAPTOR ONLY	
JBA12	1/2X20 UN(F)-1/2" BSP(M) ADAPTOR	
JBA58	5/8 X 16UN(F) TO 1/2" BSP(M) ADAPTOR	



With 1/2" BSP male fitting to suit BD, BX10 and BLU cores.

## ADAPTOR PACKS

Product Code	Description	List Price
JX03	HEX ADAPTOR PACK (JX01, JB09, JB05)	
JX03-13	HEX A TAPER DRILL ADAPTOR PACK (JX01, JB13, JB05)	
JS03	SDS ADAPTOR PACK (JS01, JB09, JB05)	
JS03-13	SDS A TAPER DRILL ADAPTOR PACK (JS01, JB13, JB05)	
JM03	SDS MAX ADAPTOR PACK (JM01, JB09, JB05)	



## PILOTS & DRIFTS

Product Code	Description	List Price
JB09	12MM GUIDE ROD (X210MM)	
JB13	13MM A TAPER DRILL (X210MM)	
JB05	DRIFT KEY	
JB22	12MM PLASTIC GUIDE FOR 22MM CORE	
JB28	12MM PLASTIC GUIDE FOR 28MM CORE	



## EXTENSIONS

Product Code	Description	List Price
JB26	1/2" BSP 250MM SOLID EXTENSION + A TAPER	
JB25	1/2" BSP 250MM HOLLOW EXTENSION	
JX25	HEX 250MM EXTENSION (C/W ALLEN KEY)	
JB04	4MM ALLEN KEY FOR HEX EXT	
JB10	10 GRUB SCREWS FOR HEX EXT	





## PREMIUM BD – DRY CORE DRILL



Universal dry diamond core drill in all popular plumbers sizes up to 182mm. ½" BSP female thread takes Spectrum dry core accessories. Slotted barrel provides efficient dust clearance and ease of removing drilled core. For brick and blockwork.

Product Code	Dia (mm)	Length (mm)	Back End	List Price
BD022-HEX	22	300	HEX	
BD028-HEX	28	300	HEX	
BD032	32	150	½" BSP (F)	
BD038	38	150	½" BSP (F)	
BD048	48	150	½" BSP (F)	
BD052	52	150	½" BSP (F)	
BD065	65	150	½" BSP (F)	
BD078	78	150	½" BSP (F)	
BD091	91	150	½" BSP (F)	
BD102	102	150	½" BSP (F)	
BD107	107	150	½" BSP (F)	
BD117	117	150	½" BSP (F)	
BD127	127	150	½" BSP (F)	
BD142	142	150	½" BSP (F)	
BD152	152	150	½" BSP (F)	
BD162	162	150	½" BSP (F)	
BD172	172	150	½" BSP (F)	
BD182	182	150	½" BSP (F)	

**APPLICATIONS:** medium and soft bricks, concrete blocks (lightweight and dense), abrasive concrete products. Occasional use in harder materials e.g. semi engineering bricks and clay products.



## ULTIMATE BX10 – DRY DIAMOND CORE

Universal dry core for long life in most building materials including semi-engineering bricks, clay products, and limestone aggregate concrete.



Product Code	Dia (mm)	Length (mm)	Back End	List Price
BX10-022-HEX	22	300	HEX	
BX10-022-BSP	22	300	½" BSP (F)	
BX10-028-HEX	28	300	HEX	
BX10-028-BSP	28	300	½" BSP (F)	
BX10-032	32	150	½" BSP (F)	
BX10-038	38	150	½" BSP (F)	
BX10-048	48	150	½" BSP (F)	
BX10-052	52	150	½" BSP (F)	
BX10-065	65	150	½" BSP (F)	
BX10-078	78	150	½" BSP (F)	
BX10-091	91	150	½" BSP (F)	
BX10-102	102	150	½" BSP (F)	
BX10-107	107	150	½" BSP (F)	
BX10-117	117	150	½" BSP (F)	
BX10-127	127	150	½" BSP (F)	
BX10-142	142	150	½" BSP (F)	
BX10-152	152	150	½" BSP (F)	
BX10-162	162	150	½" BSP (F)	
BX10-172	172	150	½" BSP (F)	
BX10-182	182	150	½" BSP (F)	
BX10-200	200	150	½" BSP (F)	

**APPLICATIONS:** all bricks, concrete blocks, general building materials, lightly reinforced limestone aggregate concrete, most natural stone.



## ULTIMATE BZX ZENITH – DRY CORE DRILL



The fastest core on the market guaranteed, will even drill hard concrete. With laser welded segments for ultimate strength the BZX is an incredibly versatile core, drilling almost anything including engineering and concrete.

Product Code	Dia (mm)	Length (mm)	Back End	List Price
BZX-022	22	300	½" BSP (F)	
BZX-028	28	300	½" BSP (F)	
BZX-032	32	150	½" BSP (F)	
BZX-038	38	150	½" BSP (F)	
BZX-048	48	150	½" BSP (F)	
BZX-052	52	150	½" BSP (F)	
BZX-065	65	150	½" BSP (F)	
BZX-078	78	150	½" BSP (F)	
BZX-091	91	150	½" BSP (F)	
BZX-102	102	150	½" BSP (F)	
BZX-107	107	150	½" BSP (F)	
BZX-117	117	150	½" BSP (F)	
BZX-127	127	150	½" BSP (F)	
BZX-142	142	150	½" BSP (F)	
BZX-152	152	150	½" BSP (F)	

**APPLICATIONS:** all house bricks, engineering bricks, concrete blocks, general building materials, concrete, natural stone.

## PREMIUM EPX – DIAMOND HOLES AW

Fast, fine cutting of marble, ceramics and stone. Low cost for the occasional user. Straight shank for use in 3 jaw chuck. Recommended for use with water feed and guide.



Product Code	Diameter (mm)	List Price
EPX-06	6	
EPX-08	8	
EPX-10	10	
EPX-15	15	
EPX-20	20	
EPX-25	25	
EPX-30	30	
EPX-35	35	
EPX-40	40	
EPX-45	45	
EPX-50	50	
EPX-55	55	
EPX-60	60	
EPX-65	65	
EPX-70	70	
EPX-75	75	
EPX-80	80	

## JP – HOLES AW ACCESSORIES

6 – 80mm suction guide for accurate positioning.

Product Code	Description	List Price
JP76	6-80MM UNIVERSAL SUCTION GUIDE	





### PRO XT1 – DIAMOND DRILL



Fast drilling, long life diamond drills supplied with unique water container for accurate positioning and cooling of the diamond tip. Superfast drilling and core ejection. Quick change 6.3 standard hex shank. Precision drilling. **GUARANTEED TO DRILL ALL TILES**, porcelain, ceramics, granite, glass, quarry, everything!


Product Code	Diameter (mm)	List Price
XT1-05	5	
XT1-06	6	
XT1-07	7	
XT1-08	8	
XT1-10	10	
XT1-12	12	
XT1-15	15	
XT1-20	20	
XT1-25	25	
XT1-30	30	
XT1-35	35	



### PREMIUM DIAMOND DRILL - DRY

Super grade diamond for precise fast cutting. Self lubricating (waxed filled centre). Improved super-fast drilling speed. Drills all tiles including porcelain, marble, granite & ceramic. Works without water. Universal chuck fitting (including cordless). Available in 9 sizes: 5.5mm, 6mm, 7mm, 8mm, 10mm, 12mm, 18mm, 25mm, 35mm.

Product Code	Diameter (mm)	List Price
TDD-05	5.5	
TDD-06	6	
TDD-07	7	
TDD-08	8	
TDD-10	10	
TDD-12	12	
TDD-18	18	
TDD-25	25	
TDD-35	35	







## ULTIMATE PCX-S – ½" BSP WET CORE



Laser welded  
'rooftop' segment

Ultimate wet diamond core drill for professional hand held and rig mounted use. ½" BSP (male) back end. 300mm drilling length. 10mm segment height. Universal/all concrete.

Product Code	Diameter (mm)	List Price
PCX-S014	14	
PCX-S016	16	
PCX-S018	18	
PCX-S020	20	
PCX-S022	22	
PCX-S024	24	
PCX-S025	25	
PCX-S028	28	
PCX-S030	30	
PCX-S032	32	
PCX-S036	36	
PCX-S040	40	
PCX-S045	45	
PCX-S052	52	

**APPLICATIONS:** flint and limestone aggregate concrete; reinforced concrete; universal building products.

## JN – WET CORE ACCESSORIES



Tough, durable adaptors and extensions for wet core drilling.

Product Code	Description	List Price
JN55	½" BSP(M) - ½" BSP(M) ADAPTOR	
JN56	½" BSP(F) - ½" BSP(F) ADAPTOR	
JN65	½" BSP(M) - 1¼" UNC(M) ADAPTOR	
JN66	½" BSP(F) - 1¼" UNC(F) ADAPTOR	
JN-HAD3	½" BSP(F) - HILTI DD100/130 ADAPTOR	
JN25	½" BSP 250MM HOLLOW EXTENSION	
JN20	1¼" UNC 150MM EXTENSION	
JN30	1¼" UNC 250MM EXTENSION	



## ULTIMATE PCX-N – 1¼" UNC WET CORE



Laser welded  
'rooftop' segment

Ultimate wet diamond core drill for professional rig mounted use. 1¼" UNC (female) back end. 450mm drilling length. 10mm segment height. Universal/all concrete.

Product Code	Diameter (mm)	List Price
PCX-N052	52	
PCX-N056	56	
PCX-N062	62	
PCX-N065	65	
PCX-N072	72	
PCX-N076	76	
PCX-N082	82	
PCX-N087	87	
PCX-N092	92	
PCX-N102	102	
PCX-N107	107	
PCX-N112	112	
PCX-N117	117	
PCX-N122	122	
PCX-N127	127	
PCX-N132	132	
PCX-N142	142	
PCX-N152	152	
PCX-N162	162	
PCX-N172	172	
PCX-N182	182	
PCX-N200	200	
PCX-N225	225	
PCX-N250	250	
PCX-N300	300	

**APPLICATIONS:** flint and limestone aggregate concrete; light to medium reinforced concrete; universal building products.



## Diamond Blade Application Chart

### RECOMMENDATION GUIDE

For specific advice, refer to your supplier

✓✓✓	Highly recommended
✓✓	Recommended (not continuous use)
✓	Occasional use
✗	Not recommended

### CONSTRUCTION BLADES

	METAL	VERY HARD	CONCRETE	GENERAL PURPOSE	ABRASIVE	ASPHALT
BLADE REFERENCE	Exposed steel, RSJs and sheet metal	Granite, engineering bricks and hard clay products, hard Indian stone	Limestone and first aggregate reinforced concrete, hard, unabrasive concrete products	Kerbs and slabs, medium hard bricks, yorkstone, concrete paviors	Concrete roof tiles, sandstone, abrasive concrete paviors	Asphalt, green concrete, render, cement screed, lignite blocks
CGS	✗	✗	✓	✓✓✓	✓	✗
CG10	✗	✗	✓	✓✓✓	✓	✗
XL10	✗	✗	✓	✓✓✓	✓	✗
XLT	✗	✓✓	✓✓	✓✓✓	✗	✗
XLS	✗	✓	✓✓	✓✓✓	✓✓	✗
XLA	✗	✗	✓	✓✓✓	✓✓✓	✓
DX10	✓	✓✓✓	✓✓	✓✓✓	✗	✗
DCX	✗	✗	✓✓	✓✓✓	✓✓	✗
DCA	✗	✗	✓✓	✓✓✓	✓✓✓	✓
DA	✗	✗	✗	✗	✓	✓✓✓
TX10R	✓✓	✓✓✓	✓✓	✓✓✓	✗	✗
MX10	✗	✓✓✓	✓✓✓	✓✓✓	✓	✗
MCX	✗	✓	✓✓✓	✓✓✓	✓✓	✗
TCX15	✗	✓	✓✓✓	✓✓✓	✓✓	✗
MCA	✗	✓	✓✓✓	✓✓✓	✓✓✓	✓✓
MA	✗	✗	✗	✗	✓	✓✓✓
ZCX	✗	✓✓✓	✓✓✓	✓✓✓	✓	✗
ZX10	✗	✓✓✓	✓✓✓	✓✓✓	✗	✗
ZCA	✗	✓✓✓	✓✓✓	✓✓✓	✓✓✓	✓✓
ZA	✗	✗	✗	✗	✓	✓✓✓
MC	✗	✓	✓✓✓	✓✓✓	✓	✗
ZCF	✗	✓	✓✓✓	✓✓✓	✓✓✓	✗
ZFX	✗	✓	✓✓	✓✓✓	✓✓✓	✓✓✓
USB	✓✓✓	✓	✗	✗	✗	✗
MCM	✗	✓✓✓	✓	✓✓✓	✗	✗
BLADE REFERENCE	CERAMIC & STONE BLADES					
SL PRO	Continuous rim; s-slots; GUARANTEED TO CUT ALL TILES					
LST PRO	Fine turbo rim; porcelain, granite, hard natural stone and ceramics					
2CM PRO	Unique diamond segment, guaranteed to cut porcelain, all hard stone and all ceramic tiles					

Recommendation guide only: for specific advice, please speak to a member of the technical support team.



**BECOME AN  
OX TUFF CLUB  
MEMBER  
TODAY...**

**NEW PRODUCT INFORMATION,  
PRODUCT REVIEWS, SPECIAL OFFERS  
& DISCOUNTS, COMPETITIONS &  
PROMOTIONS, FREEBIES/GIVEAWAYS**

**SIMPLY SCAN  
THE QR OR VISIT  
[WWW.OXTOOLS.CO.UK/  
TUFF-CLUB](http://WWW.OXTOOLS.CO.UK/TUFF-CLUB)**



# TUFF CLUB THE ULTIMATE TRADIES COMMUNITY

The OX Tuff Club members community feeds directly back into the future of OX product innovation. With regular surveys and polls Tuff Club identifies what tradespeople want and need from their tools.

- Growing awareness and brand loyalty amongst tradespeople
- Cultivating tradies experience and applying feedback into the OX product development process
- The 1:1 connection with tradies sharing news, new product information as well as product testing opportunities



## Contact & delivery details



### Contact us



### OX Group UK sales:

Telephone: 020 8676 9990  
Email: sales.uk@oxtools.com  
Web: oxtools.com

Please ask for details for your area sales manager.

### Order Despatch & Delivery

OX Group UK have built up a reputation for excellence in customer service and care, with exceptionally high stock levels and an efficient fulfillment and despatch system. Our policy is 100% fulfillment of customer requirements.

Orders placed by 3.30pm will be despatched on guaranteed next day delivery – free on orders over £100.00 net.  
(Pallet orders to be placed by 1.30pm)

### UK Mainland delivery charges:

Next day delivery .....	orders over £100 net .....	FREE
Next day delivery .....	orders £50–£100 net .....	£4.00
Next day delivery .....	orders under £50 net .....	£6.50
AM delivery .....	additional .....	£4.50
Before 10.30 delivery .....	additional .....	£16.00
Direct deliveries (to your customer) .....	additional .....	£6.00

### Channel Islands, Isle of Man & Scottish Islands delivery charges:

48 Hour delivery .....	orders over £250 net .....	FREE
48 Hour delivery .....	orders £100–£250 net .....	£10.00
48 Hour delivery .....	orders £50–£100 net .....	£14.00
48 Hour delivery .....	orders under £50 net .....	£16.50

### EIRE & Northern Ireland delivery charges - price on application.

All prices exclude VAT.

### Terms & Conditions

The information in this catalogue contains copyrighted material and is for the sole use of OX Tools UK Ltd customers only, and may not be duplicated in any form without consent. Trademarks, including brand names and product names, are included as reference only and are acknowledged to be trademarks or registered trademarks of their respective holders. Although every effort has been made to verify accuracy of information herein, OX Tools UK Ltd's liability for errors/omissions is limited to replacement or credit of items and we cannot be responsible for incidental, indirect or consequential costs incurred unless by contractual agreement or state law. All prices are in GBP (£) and are subject to change. OX Tools UK Ltd reserves the right to limit quantities, adjust pricing, and remove items as availability and/or market conditions deem necessary.





visit [oxttools.com](http://oxttools.com) for  
details of your local  
stockist of OX tools



5 060359 917171

UNPRICED OXBOOK